

### 1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	2,296	2,296	4,592	6,997	8,091	15,088	20,226	19,680	39,906	20,773	25,802	46,575	1,203	1,968	3,171	109,332
% by age group			4%			14%			36%			43%			3%	100%

### 2. Mortality

#### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
5. Ischaemic heart disease	0	0	0		0	0	0	0	1	1	0	0	0	1	50%
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	0%
Other	0	0	0		0	0	0	0	1	1	0	0	0	1	50%
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>100%</b>
% by age group			0%			0%			100%			0%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.1	0.1
Under 5 Mortality Rate (U5MR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

#### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

### 3. Morbidity

#### 3.1 Staffing and service availability

Number of full-time clinicians	74
Average number of full days on which each health facility was functioning	6.3
Total number of outpatient consultations	9,550
Health facility utilisation rate	4.5
Consultations per clinician per day	20

#### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	338	311	649	33.0	366	348	714	353	356	709	55	46	101	2173	30%	19.9
Influenza-like illness (ILI)	34	43	77	3.9	75	75	150	137	147	284	16	8	24	535	7%	4.9
Lower Respiratory Tract Infection (LRTI)	68	44	112	5.7	25	25	50	22	16	38	11	11	22	222	3%	2.0
Watery diarrhoea*	91	72	163	8.3	41	51	92	18	19	37	1	1	2	294	4%	2.7
Bloody diarrhoea*	5	3	8	0.4	2	3	5	0	2	2	0	0	0	15	0%	0.1
Skin infection	70	52	122	6.2	70	71	141	66	80	146	15	15	30	439	6%	4.0
Eye infection	20	15	35	1.8	18	10	28	23	25	48	3	2	5	116	2%	1.1
Dental Conditions	7	7	14	0.7	32	28	60	59	58	117	15	1	16	207	3%	1.9
Intestinal Worms	8	8	16	0.8	9	10	19	4	5	9	1	0	1	45	1%	0.4
Acute Jaundice Syndrome*	8	3	11	0.6	9	7	16	1	2	3	0	0	0	30	0%	0.3
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	9	11	20	1.0	2	2	4	3	3	6	1	0	1	31	0%	0.3
Sexually Transmitted Infection (STI)	0	0	0	0.0	1	1	2	0	0	0	0	0	0	2	0%	0.0
Other	249	269	518	26.3	349	345	694	728	897	1625	149	147	296	3133	43%	28.7
<b>Total</b>	<b>907</b>	<b>838</b>	<b>1745</b>	<b>88.7</b>	<b>999</b>	<b>976</b>	<b>1975</b>	<b>1414</b>	<b>1610</b>	<b>3024</b>	<b>267</b>	<b>231</b>	<b>498</b>	<b>7242</b>	<b>100%</b>	<b>66.2</b>
% by age group			24%				27%			42%			7%	100%		

\* Indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

#### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	15	19	34	125	102	227	45	83	128	389	25%
Hypertension	0	0	0	0	0	0	209	118	327	72	103	175	502	32%
Asthma	10	12	22	19	13	32	36	47	83	9	13	22	159	10%
Ischaemic heart disease	0	0	0	0	0	0	33	30	63	30	20	50	113	7%
Cardiovascular disorders	0	0	0	2	1	3	26	12	38	30	25	55	96	6%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	11	8	19	11	10	21	40	3%
Liver disease	0	0	0	1	1	2	1	1	2	0	0	0	4	0%
Thyroid problems	0	0	0	0	0	0	3	12	15	4	6	10	25	2%
Cancer	0	0	0	0	0	0	2	6	8	0	0	0	8	1%
Other	1	0	1	17	20	37	65	82	147	19	23	42	227	15%
<b>Total</b>	<b>11</b>	<b>12</b>	<b>23</b>	<b>54</b>	<b>54</b>	<b>108</b>	<b>511</b>	<b>418</b>	<b>929</b>	<b>220</b>	<b>283</b>	<b>503</b>	<b>1563</b>	<b>100%</b>
% by age group			1%			7%			59%			32%	100%	

#### 3.4 Mental health

	0 to 4	Total <	5 to 17	Total 5	18 to 59	Total 18	> 60	Total	Grand	% by
--	--------	---------	---------	---------	----------	----------	------	-------	-------	------

	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1. Epilepsy / seizures	3	1	4	4	3	7	4	1	5	0	0	0	16	12%
2. Alcohol and other substance abuse disorder	1	0	1	1	0	1	0	0	0	0	0	0	2	1%
3. Mental retardation / intellectual disability	0	0	0	4	3	7	4	3	7	0	0	0	14	10%
4. Psychotic disorder	0	0	0	0	0	0	19	3	22	0	0	0	22	16%
5. Severe emotional disorder	0	0	0	1	6	7	13	17	30	2	2	4	41	30%
6. Other psychological complaint	1	5	6	9	11	20	2	7	9	0	0	0	35	26%
Other	2	0	2	1	0	1	1	2	3	0	0	0	6	4%
<b>Total</b>	<b>7</b>	<b>6</b>	<b>13</b>	<b>20</b>	<b>23</b>	<b>43</b>	<b>43</b>	<b>33</b>	<b>76</b>	<b>2</b>	<b>2</b>	<b>4</b>	<b>136</b>	<b>100%</b>
% by age group			10%			32%			56%			3%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	2	3	5	6	11	13	14	27	7	5	12	53	9%
2. Injury (war related)	10	6	16	27	23	50	43	13	56	1	3	4	126	21%
3. Injury (non war related)	2	9	11	25	13	38	46	19	65	4	5	9	123	20%
4. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	30	29	59	33	42	75	46	42	88	41	44	85	307	50%
<b>Total</b>	<b>43</b>	<b>46</b>	<b>89</b>	<b>90</b>	<b>84</b>	<b>174</b>	<b>148</b>	<b>88</b>	<b>236</b>	<b>53</b>	<b>57</b>	<b>110</b>	<b>609</b>	<b>100%</b>
% by age group			15%			29%			39%			18%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	3	4	7	0	0	0	0	0	0	0	0	0	7
Total admissions	8	6	14	1	1	2	0	0	0	0	0	0	16
Number of exits	authorized	3	7	10	0	1	1	0	0	0	0	0	11
	unauthorized	3	0	3	0	0	0	0	0	0	0	0	3
	death	0	0	0	0	0	0	0	0	0	0	0	0
	referral	1	2	3	0	0	0	0	0	0	0	0	3
<b>Total exits</b>	<b>7</b>	<b>9</b>	<b>16</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>17</b>
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by age group			83%			17%			0%			0%	100%

Number of days in reporting period	7
Number of beds	70
Sum number of days stay for authorised discharges	237
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	21.5
Bed occupancy	70%
Hospitalisation rate	0.6

### 4.2 In-patient Admissions and Deaths

	0 to 4		U5 CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	14	0	0%	2	0	0%	0	0		0	0	16	0	0%
2. General Surgery	0	0		0	0		0	0		0	0	0	0	
3. Injury (war related)	0	0		0	0		0	0		0	0	0	0	
4. Injury (non war related)	0	0		0	0		0	0		0	0	0	0	
5. Internal medicine	0	0		0	0		0	0		0	0	0	0	
6. Obstetrics	0	0		0	0		0	0		0	0	0	0	
7. Gynaecology	0	0		0	0		0	0		0	0	0	0	
Other	2	0	0%	1	0	0%	1	0	0%	2	0	6	0	0%
<b>Total</b>	<b>16</b>	<b>0</b>	<b>0%</b>	<b>3</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>0</b>	<b>22</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 6. Laboratory

	Total
Number of laboratory tests conducted	526

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	16	72	88
First antenatal visit > 1st trimester	35	170	205
Number of pregnant women at time of delivery who received:	≥ 4 ANC visits	0	8
	≥ 2 TT doses	0	3
	anaemia screening	0	17

#### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	30%
Coverage of complete antenatal care	21%
Coverage of antenatal tetanus immunisation	8%
Coverage of anaemia screening in pregnancy	44%

### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	2	37	39
Still births	0	1	1
Low birth weight (<2500 g)	0	1	1
Attended by skilled health worker	2	37	39
Number of obstetric complications treated	0	0	0
Number of caesarean sections performed	0	5	5

#### Delivery Indicators

Crude birth rate	4.3
Proportion of births attended by skilled health worker (excl. TBA)	100%
Proportion of low birth weight deliveries	3%
Proportion of all births performed by caesarean section	13%
Proportion of obstetric complications treated among girls < 18	

### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	2	71	73

Postnatal Indicators	
Coverage of complete postnatal care	187%

### 8.4 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Condom (Male)	0	40	0	18	58
Implantable ( Norplant )	0	0	0	0	0
Emergency Contraceptive pill	0	0	0	0	0
Sterilisation ( Female)	0	0	0	0	0
Injectable (Depo - Provera)	0	4	0	5	9
Intra-Uterine Device (IUD)	0	0	0	0	0
Oral Contraceptive	0	42	1	44	87
Family Planning Counseling	0	0	0	0	0

### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Data Sources: 1. Health Information System

Publication date: 21 June 2013

Contact Information: **Za'atri** Ana Calvo, UNHCR Email: calvo@unhcr.org

**Amman** Ann Burton, UNHCR Email: burton@unhcr.org

UNHCR gratefully acknowledges the support of the following partners:

