

Denvilation	0 to	< 1	Total <1	1 to	4	Total 1	5 t	o 17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand
Population	М	F	Total <1	M	F	to 4	M	F	to 17	M	F	to 59	M	F	60	total
Refugee population	664	627	1,290	3,092	3,023	6,115	7,171	6,558	13,730	6,864	8,053	14,917	325	492	817	36,869
% by age group			4%			17%			37%			40%			2%	100%

2.1 Mortality

	Record ONE cause of mortality per case	0 to	4	Total <5	U5 %	5 t	o 17	Total 5	18 to	59	Total 18	>	60	Total >	Grand	Crude %
	Record ONE cause of mortality per case	М	F	TOTAL <2	mort	М	F	to 17	M	F	to 59	M	F	60	total	mort
1.	Lower Respiratory Tract Infection (LRTI)	0	3	3	11%	0	1	1	1	0	1	1	1	2	7	9%
2.	Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3.	Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4.	Ischaemic heart disease	0	0	0	0%	0	0	0	2	1	3	2	2	4	7	9%
5.	Cardiovascular disorders (other)	1	3	4	14%	0	0	0	0	0	0	5	4	9	13	17%
6.	Cerebrovascular disease	0	0	0	0%	0	0	0	0	2	2	2	1	3	5	6%
7.	Chronic kidney disease	0	1	1	4%	0	1	1	1	0	1	2	2	4	7	9%
8.	Injury	1	1	2	7%	1	1	2	0	0	0	0	0	0	4	5%
9.	Cancer	0	0	0	0%	2	0	2	0	5	5	1	2	3	10	13%
10.	Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11.	Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12.	Neonatal death	11	4	15	54%	0	0	0	0	0	0	0	0	0	15	19%
13.	COVID-19	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	1%
14.	Other	1	2	3	11%	0	1	1	0	0	0	3	1	4	8	10%
	Total	14	14	28	100%	3	4	7	5	8	13	16	13	29	77	100%
	% by age group			36%				9%			17%			38%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 pooulation/month)	0.2	0.2	0.2
Under 5 Mortality Rate (U5MR) (/1000 pooulation/month)	0.3	0.3	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			11.5

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

3.1 Staffing and service availability

Number of full-time clinicians	21.7
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	234,278
Health facility utilisation rate	6.4
Consultations per clinician per day	36

3.2 Acute health conditions

Record NEW cases of disease only	0 to	4	Total <5	U5 Incid	5 to	17	Total 5	18 to	59	Total 18	> (30	Total >	Grand	% by	Crude
Record NEW cases of disease only	М	F	TOTAL VS	US IIICIU	M	F	to 17	M	F	to 59	М	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	8,482	7,408	15,890	2145.6	6,432	6,213	12,645	4,611	6,319	10,930	257	394	651	40,116	25%	1088.1
Influenza-like illness (ILI)	2,689	2,317	5,006	676.0	1,954	1,765	3,719	1,847	2,243	4,090	71	92	163	12,978	8%	352.0
Lower Respiratory Tract Infection (LRTI)	2,245	1,682	3,927	530.3	309	199	508	117	134	251	18	19	37	4,723	3%	128.1
Watery diarrhoea*	1,635	1,445	3,080	415.9	325	293	618	300	488	788	26	36	62	4,548	3%	123.4
Bloody diarrhoea*	11	1	12	1.6	2	2	4	0	3	3	0	0	0	19	0%	0.5
Skin infection	894	946	1,840	248.5	680	929	1,609	734	978	1,712	67	48	115	5,276	3%	143.1
Eye infection	528	436	964	130.2	371	295	666	667	638	1,305	38	59	97	3,032	2%	82.2
Ear infection	735	744	1,479	199.7	395	514	909	698	1,284	1,982	48	54	102	4,472	3%	121.3
Dental Conditions	186	182	368	49.7	2,483	2,687	5,170	5,419	7,688	13,107	185	150	335	18,980	12%	514.8
Intestinal Worms	196	233	429	57.9	381	349	730	135	157	292	3	0	3	1,454	1%	39.4
Acute Jaundice Syndrome*	63	33	96	13.0	43	45	88	1	4	5	0	0	0	189	0%	5.1
Measles (suspected)*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0
Meningitis (suspected)*	2	3	5	0.7	7	0	7	0	0	0	0	0	0	12	0%	0.3
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Fever of unknown origin	8	4	12	1.6	1	2	3	5	6	11	0	0	0	26	0%	0.7
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
COVID-19 (confirmed)	28	33	61	8.2	87	119	206	130	156	286	6	14	20	573	0%	15.5
Other	6,764	6,771	13,535	1827.6	6,787	8,307	15,094	10,960	19,292	30,252	1,159	1,395	2,554	61,435	39%	1666.3
Total	24,467	22,238	46,705	6306.6	20,257	21,720	41,977	25,624	39,391	65,015	1,878	2,261	4,139	157,836	100%	4281.0
% by age group			30%				27%			41%			3%	100%		

^{*} indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5	18 to	o 59	Total 18	> 6	0	Total	Grand	% by
Record NEW and REVISITS	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	0	0	0	16	58	74	598	849	1,447	273	471	744	2,265	19%
Hypertension	0	0	0	3	4	7	1,261	1,506	2,767	550	785	1,335	4,109	34%
Asthma	162	95	257	166	88	254	219	278	497	82	40	122	1,130	9%
Ischaemic heart disease	0	0	0	0	1	1	210	81	291	117	91	208	500	4%
Cardiovascular disease (other)	3	13	16	4	7	11	95	99	194	46	49	95	316	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	39	22	61	54	17	71	132	1%
Liver disease	0	0	0	0	0	0	1	9	10	1	2	3	13	0%
Thyroid problems	3	0	3	33	28	61	72	552	624	7	33	40	728	6%
Cancer	0	0	0	20	0	20	3	160	163	1	2	3	186	2%
Other	155	124	279	79	121	200	925	1,008	1,933	209	147	356	2,768	23%
Total	323	232	555	321	307	628	3,423	4,564	7,987	1,340	1,637	2,977	12,147	100%
% by age group			5%			5%			66%			25%	100%	

3.4 Mental health

		0 to	4	Total <	5 to	17	Total 5	18 1	to 59	Total 18	> (60	Total	Grand	% by
		М	F	5	M	F	to 17	M	F	to 59	М	F	> 60	total	cause
1.	Epilepsy / seizures	72	78	150	433	279	712	438	360	798	20	41	61	1,721	23%
2.	Alcohol and other substance use disorder	0	0	0	3	2	5	52	2	54	0	0	0	59	1%
3.	Psychotic disorder (including mania)	0	0	0	5	3	8	133	160	293	32	67	99	400	5%
4.	Intellecutal disability	13	10	23	97	51	148	54	70	124	4	12	16	311	4%
5.	Severe emotional disorder, including moderate-severe depression	0	0	0	167	133	300	1,018	1,853	2,871	25	28	53	3,224	43%
6.	Medically unexplained somatic complaint	1	0	1	17	25	42	82	60	142	0	10	10	195	3%
	Other psychological complaints	12	6	18	523	397	920	263	318	581	24	21	45	1,564	21%
	Total	98	94	192	1,245	890	2,135	2,040	2,823	4,863	105	179	284	7,474	100%
	% by age group			3%			29%			65%			4%	100%	

3.5 Injuries

		0 to	4	Total <	5 to	17	Total 5	18 1	to 59	Total 18	> (60	Total	Grand	% by
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1.	Bites (all causes)	1	0	1	3	1	4	4	2	6	0	0	0	11	0%
2.	Injury (war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3.	Injury (Burns)	214	185	399	396	178	574	194	200	394	14	6	20	1,387	16%
4.	Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
	Other	934	849	1783	1303	1156	2459	1177	1740	2917	178	184	362	7,521	84%
	Total	1149	1034	2183	1702	1335	3037	1375	1942	3317	192	190	382	8,919	100%
	% by age group			24%			34%			37%			4%	100%	

3.6 Reproductive Tract Infections

		<1	18	Total <	2	18	Total ≥	Grand	% by
		М	F	18	М	F	18	total	cause
1.	Vaginal discharge	0	48	48	6	1,971	1,977	2,025	57%
2.	Urethral discharge	0	0	0	0	0	0	0	0%
3.	Genital ulcer	0	1	1	0	14	14	15	0%
3.	Lower abdominal pain	0	17	17	0	639	639	656	19%
	Other	0	2	2	0	824	824	826	23%
	Total	0	68	68	6	3,448	3,454	3,522	100%
	% by age group			2%			98%	100%	

4.1 In-patient Department Activities

		0 to	o 4	Total <	5 to	17	Total 5	18 1	to 59	Total 18	> 6	0	Total	Grand
		М	F	5	М	F	to 17	М	F	to 59	M	F	> 60	total
Number at beginning of repo	orting period	4	4	8	0	1	1	0	4	4	0	0	0	13
Total admissions		916	429	1,345	122	123	245	67	1,132	1,199	4	0	4	2,793
	authorized	865	385	1,250	111	113	224	67	1,075	1,142	4	0	4	2,620
Number of exits	unauthorized	8	11	19	4	2	6	0	57	57	0	0	0	82
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	44	31	75	7	9	16	0	2	2	0	0	0	93
Total exits		917	427	1,344	122	124	246	67	1,134	1,201	4	0	4	2,795
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	371
Number of beds	26
Sum number of days stay for authorised discharges	5,852
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.2
Bed occupancy	65%
Hospitalisation rate (/1000 population/month)	6.3

4.2 In-patient Admissions and Deaths

		0 to	4	U5 CFR	5 to	17	5-17	18 1	to 59	18-59	> (60	Total	Total	Crude
		Adm	Deaths	UJ CFK	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
1.	Paediatric medicine	886	0	0%	164	0	0%	0	0		0	0	1,050	0	0%
2.	General Surgery	459	0	0%	57	0	0%	173	0	0%	4	0	693	0	0%
3.	Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4.	Internal medicine	0	0		0	0		0	0		0	0	0	0	
5.	Obstetrics	0	0		24	0	0%	1000	0	0%	0	0	1,024	0	0%
6.	Gynaecology	0	0		0	0		25	0	0%	0	0	25	0	0%
7.	Other	0	0		0	0		0	0		0	0	0	0	
	Total	1345	0	0%	245	0	0%	1198	0	0%	4	0	2,792	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	52	52	166	166	146	146	25	25	389
2.	Jordan University Hospital	22	22	20	20	49	49	1	1	92
3.	Private affiliated Hospital	499	499	506	506	1,254	1,254	121	121	2,380
4.	Royal Medical Services	2	2	0	0	2	2	0	0	4
5.	Other	2	2	6	6	9	9	6	6	23

Total number of reffered cases out side the camp 2,888

5.2 Referrals by service

		0 to 4	Total <	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	448	448	56	56	0	0	0	0	504
2.	Internal medicine	43	43	287	287	847	847	97	97	1274
3.	Obstetric	0	0	10	10	269	269	1	1	280
4.	Gynaecological	1	1	15	15	48	48	1	1	65
5.	Surgical	43	43	231	231	166	166	18	18	458
6	Other	42	42	99	99	130	130	36	36	307

	Total
Number of laboratory tests conducted	79,316

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	63	1,713	1,776
First antenatal visit > 1st trimester	7	445	452

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	80%

8.2 Antenatal care in facility

N	≥ 4 ANC visits	20	898	918
Number of pregnant women at time of delivery who received:	2 TT doses	3	182	185
anno or donvor, who received.	anaemia screening	30	1.225	1 255

Coverage of complete antenatal care	71%
Coverage of antenatal tetanus immunisation	14%
Coverage of anaemia screening in pregnancy	0.00/

8.3 Delivery care

	< 18	≥ 18	Total
Live births	30	1,272	1,302
Still births	0	10	10
Low birth weight (<2500 g)	3	84	87
Attended by skilled health worker	30	1,241	1,271
Number of obstetric complications treated	0	11	11
Number of caesarean sections performed	5	318	323

Delivery Indicators	
Crude birth rate (/1000 population/ month)	2.9
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	7%
Proportion of all births performed by caesarean section	25%
Proportion of obsetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total	
At least three PNC visits within 6 weeks	18	567	585	

Postnatal Indicators				
Postnatal indicators				
Coverage of complete postnatal care	45%			

8.5 Family planning

8.6 Sexual and gender-based violence

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	Iotai
Oral contraceptives	23	795	10	2299	3,127
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	141	0	148	289
Implantable (Norplant)	0	2	0	0	2
Intra-Uterine Device (IUD)	1	126	0	10	137
Condom (Male)	18	574	14	1287	1,893
Other	0	0	0	0	0
	< 18	≥ 18			
Family Planning Counseling*	143	7,389			

	< 18		≥ 18		Total
	М	F	М	F	lotai
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	4	4

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators				
Incidence of reported rape (/10,000 population/year)	0.0			
Proportion of rape survivors who receive PEP < 72 hrs				
Proportion of female rape survivors who receive ECP < 120 hrs				
Proportion of rape survivors who receive STI presumptive treatment < 2 wks				

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

Contact Information

UNHCR Adam Musa Khalifa Email: KHALIFAA@unhcr.org



We gratefully acknowledge the contributions of the following agencies:









