

### 1. Population

Population	≥ 1 to < 5		Total <5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		
Refugee population	2966	3948	6,914	6812	7016	13,828	6824	7874	14,698	290	470	760	36,200
% by age group			19%			38%			41%			2%	100%

### 2. Mortality

#### 2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	U5 % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0		0	0	0	0	0	0	0	0	0	0	0
2. Watery diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0
3. Bloody diarrhoea	0	0	0		0	0	0	0	0	0	0	0	0	0	0
4. Cardiovascular disorders	0	0	0		0	0	0	0	0	0	0	0	0	0	0
5. Ischaemic heart disease	0	0	0		0	0	0	0	0	0	0	0	0	0	0
6. Injury	0	0	0		0	0	0	0	0	0	0	0	0	0	0
7. Cancer	0	0	0		0	0	0	0	0	0	0	0	0	0	0
8. Chronic obstructive pulmonary disease (COPD)	0	0	0		0	0	0	0	0	0	0	0	0	0	0
9. Tuberculosis (confirmed)	0	0	0		0	0	0	0	0	0	0	0	0	0	0
10. Neonatal death	0	0	0		0	0	0	0	0	0	0	0	0	0	0
Other	0	0	0		0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>100%</b>
% by age group														100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.0	0.0	0.0
Under 5 Mortality Rate (USMR)	0.0	0.0	0.0
Neonatal Mortality Rate (NNMR)			0.0

#### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

### 3. Morbidity

#### 3.1 Staffing and service availability

Number of full-time clinicians	40
Average number of full days on which each health facility was functioning	6.2
Total number of outpatient consultations	6,493
Health facility utilisation rate	9.3
Consultations per clinician per day	26

#### 3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	U5 Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	150	114	264	38.2	193	178	371	242	244	486	14	17	31	1152	21%	31.8
Influenza-like illness (ILI)	37	41	78	11.3	50	58	108	120	107	227	25	18	43	456	8%	12.6
Lower Respiratory Tract Infection (LRTI)	25	20	45	6.5	26	19	45	14	6	20	2	0	2	112	2%	3.1
Watery diarrhoea*	105	83	188	27.2	121	117	238	78	77	155	12	9	21	602	11%	16.6
Bloody diarrhoea*	2	3	5	0.7	3	1	4	1	0	1	0	0	0	10	0%	0.3
Skin infection	31	24	55	8.0	16	22	38	15	17	32	1	0	1	126	2%	3.5
Eye disease	15	13	28	4.0	17	9	26	21	11	32	1	1	2	88	2%	2.4
Ear disease	27	18	45	6.5	41	44	85	52	56	108	5	7	12	250	5%	6.9
Dental Conditions	0	0	0	0.0	30	29	59	76	88	164	0	0	0	223	4%	6.2
Intestinal Worms	3	3	6	0.9	9	11	20	4	4	8	1	1	2	36	1%	1.0
Acute Jaundice Syndrome*	1	1	2	0.3	0	1	1	1	0	1	0	0	0	4	0%	0.1
Measles*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	10	6	16	2.3	7	0	7	6	3	9	0	0	0	32	1%	0.9
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Allergic rhinitis	37	32	69	10.0	44	28	72	41	35	76	2	1	3	220	4%	6.1
Gastritis	0	0	0	0.0	0	0	0	6	6	12	0	1	1	13	0%	0.4
Other	358	238	596	86.2	168	269	437	383	466	849	123	84	207	2089	39%	57.7
<b>Total</b>	<b>801</b>	<b>596</b>	<b>1397</b>	<b>202.1</b>	<b>725</b>	<b>787</b>	<b>1512</b>	<b>1060</b>	<b>1120</b>	<b>2180</b>	<b>186</b>	<b>139</b>	<b>325</b>	<b>5414</b>	<b>100%</b>	<b>149.6</b>
% by age group			26%				28%			40%			6%	100%		

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

#### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	0	0	0	1	0	1	27	44	71	7	14	21	93	12%	
Hypertension	0	0	0	0	0	0	17	28	45	18	18	36	81	10%	
Asthma	1	3	4	7	2	9	11	20	31	3	6	9	53	7%	
Ischaemic heart disease	3	0	3	1	0	1	7	3	10	1	3	4	18	2%	
Cardiovascular disorders	0	0	0	0	0	0	5	3	8	5	2	7	15	2%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	3	1	4	1	0	1	5	1%	
Liver disease	0	0	0	1	0	1	0	0	0	0	0	0	1	0%	
Thyroid problems	0	2	2	0	0	0	0	1	1	0	1	1	4	0%	
Cancer	0	0	0	0	0	0	1	1	2	1	0	1	3	0%	
Gastric ulcer disease	0	0	0	0	0	0	14	11	25	7	8	15	40	5%	
Musculoskeletal disorders	0	0	0	2	0	2	26	46	72	13	14	27	101	13%	
Other	6	1	7	39	37	76	145	89	234	40	31	71	388	48%	
<b>Total</b>	<b>10</b>	<b>6</b>	<b>16</b>	<b>51</b>	<b>39</b>	<b>90</b>	<b>256</b>	<b>247</b>	<b>503</b>	<b>96</b>	<b>97</b>	<b>193</b>	<b>802</b>	<b>100%</b>	
% by age group			2%			11%			63%			24%	100%		

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. PTSD	0	0	0	2	2	4	7	3	10	0	0	0	14	8%
2. Alcohol and other substance abuse disorder	0	0	0	0	0	0	2	4	6	0	0	0	6	3%
3. Schizophrenia	0	0	0	1	0	1	10	0	10	1	0	1	12	7%
4. Chronic depression	0	0	0	0	1	1	2	6	8	0	0	0	9	5%
5. Anxiety disorder	0	0	0	9	3	12	8	1	9	0	0	0	21	11%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	1	6	7	0	1	1	8	4%
Other	0	0	0	21	13	34	42	35	77	2	1	3	114	62%
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>33</b>	<b>19</b>	<b>52</b>	<b>72</b>	<b>55</b>	<b>127</b>	<b>3</b>	<b>2</b>	<b>5</b>	<b>184</b>	<b>100%</b>
% by age group			0%			28%			69%			3%	100%	

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
2. Assault (with weapon)	1	0	1	7	2	9	31	2	33	0	0	0	43	46%
3. Assault (no weapon)	1	1	2	0	0	0	2	0	2	0	0	0	4	4%
4. Accident	1	4	5	8	3	11	4	5	9	1	0	1	26	28%
Other	3	5	8	2	3	5	3	3	6	0	1	1	20	22%
<b>Total</b>	<b>6</b>	<b>10</b>	<b>16</b>	<b>17</b>	<b>8</b>	<b>25</b>	<b>40</b>	<b>10</b>	<b>50</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>93</b>	<b>100%</b>
% by age group			17%			27%			54%			2%	100%	

## 4. In-patient Department

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
<b>Number at beginning of reporting period</b>	0	2	2	0	1	1	1	8	9	0	0	0	12	
Total admissions	5	2	7	3	4	7	19	18	37	1	0	1	52	
Number of exits	authorized	0	1	1	2	1	3	10	13	23	1	0	1	28
	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	
	death	0	0	0	0	0	0	0	0	0	0	0	0	
	referral	1	1	2	0	0	0	5	2	7	0	0	0	9
<b>Total exits</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>15</b>	<b>15</b>	<b>30</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>37</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Number at end of reporting period</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>5</b>	<b>11</b>	<b>16</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>27</b>	
% at end of reporting period by age group			22%			19%			59%			0%	100%	

Number of days in reporting period	14
Number of beds	81
Sum number of days stay for authorised discharges	0
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	
Bed occupancy	
Hospitalisation rate	5.7

### 4.2 In-patient Admissions and Deaths

	0 to 4			5 to 17			18 to 59			> 60			Total adm	Total deaths	Crude CFR
	Adm	Deaths	U5 CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	18-59 CFR	Adm	Deaths	> 60 CFR			
1. Paediatric medicine	5	0	0%	2	0	0%	0	0		0	0		7	0	0%
2. General surgery	0	0		0	0		1	0	0%	0	0		1	0	0%
3. Injury (gunshot)	0	0		0	0		6	0	0%	0	0		6	0	0%
4. Injury (shell/shrapnel)	0	0		0	0		6	0	0%	0	0		6	0	0%
5. Injury (non-firearm)	0	0		0	0		0	0		0	0		0	0	
6. Internal medicine	0	0		2	0	0%	3	0	0%	1	0		6	0	0%
7. Obstetrics	0	0		0	0		0	0		0	0		0	0	
8. Gynaecology	0	0		1	0	0%	8	0	0%	0	0		9	0	0%
9. Dermatology	0	0		0	0		0	0		0	0		0	0	
10. Ophthalmology	0	0		0	0		0	0		0	0		0	0	
Other	0	0		0	0		1	0	0%	0	0		1	0	0%
<b>Total</b>	<b>5</b>	<b>0</b>	<b>0%</b>	<b>5</b>	<b>0</b>	<b>0%</b>	<b>25</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0</b>		<b>36</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

## 6. Laboratory

	Total
Number of laboratory tests conducted	468

## 8. Reproductive Health

### 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	0	0	0
First antenatal visit > 1st trimester	0	0	0
Number of pregnant women at time of delivery who:	Received 4 or more ANC visits	0	0
	Received 2 doses of TT vaccine	0	0
	Were screened for anaemia	0	0

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	
Coverage of complete antenatal care	0%
Coverage of antenatal tetanus immunisation	0%
Coverage of anaemia screening in pregnancy	0%

## 8.2 Delivery care

	< 18	≥ 18	Total
Live births	1	7	8
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	0	6	6
Number of obstetric complications treated	1	0	1
Number of caesarean sections performed	0	1	1

Delivery Indicators	
Crude birth rate	2.7
Proportion of births attended by skilled health worker (excl. TBA)	75%
Proportion of low birth weight deliveries	0%
Proportion of all births performed by caesarean section	13%
Proportion of obstetric complications treated among girls < 18	100%

## 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

Postnatal Indicators	
Coverage of complete postnatal care	0%

## 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

### Data Sources

1. Health Information System

### Publication date:

21 December 2012

### Contact Information

**Za'atri**  
Ana Calvo, UNHCR

Email: calvo@unhcr.org  
Phone: +962

**Amman**  
Ann Burton, UNHCR

Email: burton@unhcr.org  
Phone: +962

UNHCR gratefully acknowledges the support of the following partners:

