Refugee population

Total refugee population in *reporting camps*:

27,028 §

Demographic breakdown:

|	Male	Female
50+	7%	6%
15 - 49	23%	21%
5 - 14	13%	12%
0 - 4	9%	9%

Male % Female

Darashakran
Qushtapa
Basirma
Kawergosk

Key facts

Estimated total population living in Erbil camps:
27,028 §

*Camps reporting health data:
Kawergosk
Qushtapa
Darashakran
Basirma

Population:
Syrian refugees

§ Source of population data:
Estimates from UNHCR registration

Indicators at a glance

		Indicator	Standard
1	Health utilisation rate	7.3	1 - 4
2	Number of consultations per clinician per day	59	< 50
3	Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%
4	Measles immunisation coverage	113%	> 90%
5	Polio III immunisation coverage	93%	> 90%
6	Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
7	Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
8	Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Notes

This public health profile for Erbil camps is compiled from health data obtained from reporting agencies. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Agencies reporting:

MSF

DOH - Erbil

Morbidity

Acute health conditions (%)

- Upper Respiratory Tract Infection (URTI) — 32%
- Lower Respiratory Tract Infection (LRTI) — 24%
- Skin infection — 6%
- Dental Conditions — 5%
- Urinary tract infection (UTI) — 4%
- Other — 29%

Chronic health conditions (%)

- Hypertension — 30%
- Diabetes — 16%
- Cardiovascular disease (other) — 6%
- Asthma — 6%
- Thyroid problems — 3%
- Other — 39%

Top 5 acute health conditions

|		% morbidity	# of cases
1	Upper Respiratory Tract Infection (URTI)	32%	1,060
2	Lower Respiratory Tract Infection (LRTI)	24%	793
3	Skin infection	6%	199
4	Dental Conditions	5%	161
5	Urinary tract infection (UTI)	4%	132
-	Other	30%	990

Top 5 chronic health conditions

		% morbidity	# of cases
1	Hypertension	30%	92
2	Diabetes	16%	48
3	Cardiovascular disease (other)	7%	20
4	Asthma	6%	17
5	Thyroid problems	3%	9
-	Other	39%	117

Breakdown of acute health conditions

by age
- 0-4 — 24%
- 5 to 14 — 16%
- 15 to 49 — 55%
- ≥ 50 — 5%

by gender
- Male — 50%
- Female — 50%

Breakdown of chronic health conditions

by age
- 0-4 — 3%
- 5 to 14 — 3%
- 15 to 49 — 54%
- ≥ 50 — 40%

by gender
- Male — 39%
- Female — 61%

Public Health

Health Impact

	Indicator	Standard
Crude Mortality Rate (CMR) (/1000/month)	0.0	< 1.5
Under-five Mortality Rate (U5MR) (/1000/month)	0.0	< 3.0
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	0.0	< 40

Access and utilization

	Indicator	Standard
No. of health facilities	1.0	1 : < 10,000
Total number of consultations	3,814	
Health utilisation rate	7.3	1 - 4
No. of consultations per trained clinician per day	59	< 50

Reproductive health

	Indicator	Standard
Proportion of first time antenatal visits made < 1st trimester	N/A	≥ 90%

Outbreak Alert and Response

	Indicator	Standard
Number of outbreaks reported	0	
% of outbreaks investigated within 48 hours	N/A	100%

Routine immunization

	Indicator	Standard
BCG immunisation coverage	68%	> 90%
DPT 1 immunisation coverage	73%	> 90%
Measles immunisation coverage	113%	> 90%
Polio III immunisation coverage	93%	> 90%
MMR immunisation coverage	110%	> 90%
Vitamin A coverage	102%	> 90%

Sexual and gender-based violence

	Indicator	Standard
Incidence of reported rape	0.0	

Top 3 Mental health conditions

		% morbidity	# of cases
1	Severe emotional disorder	7%	8
2	Alcohol and other substance abuse disorder	3%	3
3	Epilepsy / seizures	2%	2
-	Other	89%	103

Top 3 injuries

		% morbidity	# of cases
1	Injury (unintentional)	40%	24
2	Burns	25%	15
3	Accident	10%	6
-	Other	25%	15

Breakdown of mental health conditions

By cause

7% 2% 2% 2% 87%

- Severe emotional disorder
- Alcohol and other substance abuse disorder
- Epilepsy / seizures
- Psychotic disorder
- Other

By age

0% 6% 6% 88%

- 0-4
- 5 to 14
- 15 to 49
- ≥ 50

By gender

16% 84%

- Male
- Female

Breakdown of injuries

By cause

0% 25% 10% 25% 40%

- Injury (unintentional)
- Burns
- Accident
- Injury (intentional)
- Other

By age

2% 20% 25% 53%

- 0-4
- 5 to 14
- 15 to 49
- ≥ 50

By gender

45% 55%

- Male
- Female

twine

View interactive maps and statistics online

http://twine.unhcr.org