

## 1. Population

| Population         | 0 to <1 |     | Total <1 | 1 to 4 |     | Total 1 to 4 | 5 to 14 |     | Total 5 to 14 | 15 to 49 |       | Total 15 to 49 | ≥ 50 |     | Total ≥ 50 | Grand total |
|--------------------|---------|-----|----------|--------|-----|--------------|---------|-----|---------------|----------|-------|----------------|------|-----|------------|-------------|
|                    | M       | F   |          | M      | F   |              | M       | F   |               | M        | F     |                | M    | F   |            |             |
| Refugee population | 137     | 144 | 281      | 547    | 574 | 1,121        | 970     | 989 | 1,959         | 1,537    | 1,647 | 3,184          | 441  | 505 | 946        | 7,491       |
| % by age group     |         |     | 4%       |        |     | 15%          |         |     | 26%           |          |       | 43%            |      |     | 13%        | 100%        |

\* estimates from registered population

## 2. Mortality

## 2.1 Mortality

| Record ONE cause of mortality per case          | 0 to 4   |          | Total <5 | U5 % mort   | 5 to 14  |          | Total 5 to 14 | 15 to 49 |          | Total 15 to 49 | ≥ 50     |          | Total > 50 | Grand total | Crude % mort |
|---|----------|----------|----------|-------------|----------|----------|---------------|----------|----------|----------------|----------|----------|------------|-------------|--------------|
|   | M        | F        |          |             | M        | F        |               | M        | F        |                | M        | F        |            |             |              |
| 1. Lower Respiratory Tract Infection (LRTI)     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 2. Watery diarrhoea                             | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 3. Bloody diarrhoea                             | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 4. Cardiovascular disorders                     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 5. Ischaemic heart disease                      | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 6. Injury                                       | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 7. Cancer                                       | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 8. Chronic obstructive pulmonary disease (COPD) | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 9. Tuberculosis (confirmed)                     | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| 10. Neonatal death                              | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| Other   | 0        | 0        | 0        |             | 0        | 0        | 0             | 0        | 0        | 0              | 0        | 0        | 0          | 0           |              |
| <b>Total</b>                                    | <b>0</b> | <b>0</b> | <b>0</b> | <b>100%</b> | <b>0</b> | <b>0</b> | <b>0</b>      | <b>0</b> | <b>0</b> | <b>0</b>       | <b>0</b> | <b>0</b> | <b>0</b>   | <b>0</b>    | <b>100%</b>  |
| % by age group                                  |          |          |          |             |          |          |               |          |          |                |          |          |            |             |              |

## Mortality indicators

|                                | Male | Female | Total |
|--------------------------------|------|--------|-------|
| Crude Mortality Rate (CMR)     | 0.0  | 0.0    | 0.0   |
| Under 5 Mortality Rate (USMR)  | 0.0  | 0.0    | 0.0   |
| Neonatal Mortality Rate (NNMR) |      |        | 0.0   |

## 2.2 Maternal death

|  |   |
|--|---|
| Number of maternal deaths reported         | 0 |
| Number of maternal deaths investigated     | 0 |
| Proportion of maternal deaths investigated |   |

## 3. Morbidity

## 3.1 Staffing and service availability

|   |       |
|---|-------|
| Number of full-time clinicians                                | 3     |
| Average number of full days on which each health facility was | 7.0   |
| Total number of outpatient consultations                      | 1,434 |
| Health facility utilisation rate                              | 10.0  |
| Consultations per clinician per day                           | 68    |

## 3.2 Acute health conditions

| Record NEW cases of disease only         | 0 to 4     |           | Total <5   | U5 Incid**   | 5 to 14   |           | Total 5 to 14 | 15 to 49   |            | Total 15 to 49 | ≥ 50      |           | Total ≥ 50 | Grand total | % by cause  | Crude Incid** |
|--|------------|-----------|------------|--------------|-----------|-----------|---------------|------------|------------|----------------|-----------|-----------|------------|-------------|-------------|---------------|
|  | M          | F         |            |              | M         | F         |               | M          | F          |                | M         | F         |            |             |             |               |
| Upper Respiratory Tract Infection (URTI) | 24         | 23        | 47         | 33.5         | 33        | 34        | 67            | 81         | 77         | 158            | 11        | 8         | 19         | 291         | 24%         | 38.8          |
| Lower Respiratory Tract Infection (LRTI) | 63         | 47        | 110        | 78.5         | 27        | 22        | 49            | 345        | 36         | 381            | 7         | 8         | 15         | 555         | 46%         | 74.1          |
| Watery diarrhoea*                        | 3          | 2         | 5          | 3.6          | 1         | 1         | 2             | 1          | 3          | 4              | 0         | 0         | 0          | 11          | 1%          | 1.5           |
| Bloody diarrhoea*                        | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Malaria (suspected)*                     | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Skin infection                           | 11         | 10        | 21         | 15.0         | 6         | 4         | 10            | 14         | 14         | 28             | 0         | 0         | 0          | 59          | 5%          | 7.9           |
| Eye infection                            | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Ear infection                            | 2          | 2         | 4          | 2.9          | 4         | 2         | 6             | 4          | 4          | 8              | 1         | 1         | 2          | 20          | 2%          | 2.7           |
| Dental Conditions                        | 2          | 1         | 3          | 2.1          | 4         | 6         | 10            | 19         | 36         | 55             | 0         | 7         | 7          | 75          | 6%          | 10.0          |
| Intestinal Worms                         | 0          | 2         | 2          | 1.4          | 5         | 3         | 8             | 0          | 1          | 1              | 0         | 0         | 0          | 11          | 1%          | 1.5           |
| Acute Jaundice Syndrome*                 | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Measles (suspected)*                     | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Meningitis (suspected)*                  | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Acute Flaccid Paralysis*                 | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Tuberculosis (suspected)                 | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Fever of unknown origin                  | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Sexually Transmitted Infection (STI)     | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Urinary tract infection (UTI)            | 1          | 1         | 2          | 1.4          | 0         | 3         | 3             | 1          | 8          | 9              | 2         | 1         | 3          | 17          | 1%          | 2.3           |
| HIV/AIDS                                 | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Acute malnutrition                       | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Leishmaniasis                            | 0          | 0         | 0          | 0.0          | 0         | 0         | 0             | 0          | 0          | 0              | 0         | 0         | 0          | 0           | 0%          | 0.0           |
| Other                                    | 1          | 1         | 2          | 1.4          | 1         | 1         | 2             | 29         | 113        | 142            | 12        | 9         | 21         | 167         | 14%         | 22.3          |
| <b>Total</b>                             | <b>107</b> | <b>89</b> | <b>196</b> | <b>139.8</b> | <b>81</b> | <b>76</b> | <b>157</b>    | <b>494</b> | <b>292</b> | <b>786</b>     | <b>33</b> | <b>34</b> | <b>67</b>  | <b>1206</b> | <b>100%</b> | <b>161.0</b>  |
| % by age group                           |            |           | 16%        |              |           |           | 13%           |            |            | 65%            |           |           | 6%         | 100%        |             |               |

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted. \*\*incidence is cases per 1000 per week

## 3.3 Chronic health conditions

| Record NEW and REVISITS                      | 0 to 4   |          | Total < 5 | 5 to 14  |          | Total 5 to 14 | 15 to 49  |           | Total 15 to 49 | ≥ 50     |           | Total ≥ 50 | Grand total | % by cause  |  |
|--|----------|----------|-----------|----------|----------|---------------|-----------|-----------|----------------|----------|-----------|------------|-------------|-------------|--|
|  | M        | F        |           | M        | F        |               | M         | F         |                | M        | F         |            |             |             |  |
| Diabetes                                     | 0        | 0        | 0         | 0        | 0        | 0             | 2         | 1         | 3              | 3        | 6         | 9          | 12          | 10%         |  |
| Hypertension                                 | 0        | 0        | 0         | 0        | 0        | 0             | 7         | 11        | 18             | 6        | 17        | 23         | 41          | 33%         |  |
| Asthma                                       | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 2         | 2              | 3        | 0         | 3          | 5           | 4%          |  |
| Ischaemic heart disease                      | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0        | 0         | 0          | 0           | 0%          |  |
| Cardiovascular disease (other)               | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 1         | 1              | 2        | 3         | 5          | 6           | 5%          |  |
| Chronic obstructive pulmonary disease (COPD) | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0        | 0         | 0          | 0           | 0%          |  |
| Liver disease                                | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0        | 0         | 0          | 0           | 0%          |  |
| Thyroid problems                             | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0        | 0         | 0          | 0           | 0%          |  |
| Cancer                                       | 0        | 0        | 0         | 0        | 0        | 0             | 0         | 0         | 0              | 0        | 0         | 0          | 0           | 0%          |  |
| Other  | 0        | 0        | 0         | 2        | 2        | 4             | 20        | 20        | 40             | 1        | 14        | 15         | 59          | 48%         |  |
| <b>Total</b>                                 | <b>0</b> | <b>0</b> | <b>0</b>  | <b>2</b> | <b>2</b> | <b>4</b>      | <b>20</b> | <b>20</b> | <b>40</b>      | <b>1</b> | <b>14</b> | <b>15</b>  | <b>59</b>   | <b>100%</b> |  |
| % by age group                               |          |          | 0%        |          |          | 3%            |           |           | 52%            |          |           | 45%        | 100%        |             |  |

### 3.4 Mental health

|   | 0 to 4    |          |              | 5 to 14   |          |                  | 15 to 49   |           |                      | ≥ 50      |          |               | Total<br>≥ 50 | Grand<br>total | % by<br>cause |
|---|-----------|----------|--------------|-----------|----------|------------------|------------|-----------|----------------------|-----------|----------|---------------|---------------|----------------|---------------|
|   | M         | F        | Total<br>< 5 | M         | F        | Total<br>5 to 14 | M          | F         | Total<br>15 to<br>49 | M         | F        | Total<br>≥ 50 |               |                |               |
| 1. Epilepsy / seizures                          | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0         | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| 2. Alcohol and other substance abuse disorder   | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0         | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| 3. Psychotic disorder                           | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0         | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| 4. Mental retardation / intellectual disability | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0         | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| 5. Severe emotional disorder                    | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0         | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| 6. Medically unexplained somatic complaint      | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0         | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| Other   | 0         | 0        | 0            | 0         | 1        | 1                | 3          | 84        | 87                   | 2         | 2        | 4             | 92            | 100%           |               |
| <b>Total</b>                                    | <b>0</b>  | <b>0</b> | <b>0</b>     | <b>0</b>  | <b>1</b> | <b>1</b>         | <b>3</b>   | <b>84</b> | <b>87</b>            | <b>2</b>  | <b>2</b> | <b>4</b>      | <b>92</b>     | <b>100%</b>    |               |
| <b>% by age group</b>                           | <b>0%</b> |          |              | <b>1%</b> |          |                  | <b>95%</b> |           |                      | <b>4%</b> |          |               | <b>100%</b>   |                |               |

### 3.5 Injuries

|                           | 0 to 4    |          |              | 5 to 14   |          |                  | 15 to 49   |          |                      | ≥ 50      |          |               | Total<br>≥ 50 | Grand<br>total | % by<br>cause |
|---------------------------|-----------|----------|--------------|-----------|----------|------------------|------------|----------|----------------------|-----------|----------|---------------|---------------|----------------|---------------|
|                           | M         | F        | Total<br>< 5 | M         | F        | Total<br>5 to 14 | M          | F        | Total<br>15 to<br>49 | M         | F        | Total<br>≥ 50 |               |                |               |
| 1. Injury (intentional)   | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0        | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| 2. Injury (unintentional) | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0        | 0                    | 0         | 0        | 0             | 0             | 0              | 0%            |
| 3. Burns                  | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 2        | 2                    | 0         | 0        | 0             | 2             | 15%            |               |
| 4. Accident               | 0         | 0        | 0            | 0         | 0        | 0                | 0          | 0        | 0                    | 0         | 0        | 0             | 0             | 0%             |               |
| Other                     | 0         | 0        | 0            | 0         | 0        | 0                | 4          | 6        | 10                   | 1         | 1        | 1             | 11            | 85%            |               |
| <b>Total</b>              | <b>0</b>  | <b>0</b> | <b>0</b>     | <b>0</b>  | <b>0</b> | <b>0</b>         | <b>4</b>   | <b>6</b> | <b>8</b>             | <b>12</b> | <b>0</b> | <b>1</b>      | <b>13</b>     | <b>100%</b>    |               |
| <b>% by age group</b>     | <b>0%</b> |          |              | <b>0%</b> |          |                  | <b>92%</b> |          |                      | <b>8%</b> |          |               | <b>100%</b>   |                |               |

## 4. Referrals

### 4.1 Referrals - general

|                       | 0 to 4   | 5 to 14  | 15 to 49 | ≥ 50     | Grand<br>total |
|-----------------------|----------|----------|----------|----------|----------------|
| Emergency             | 0        | 0        | 0        | 0        | 0              |
| Elective              | 0        | 0        | 0        | 0        | 0              |
| Other                 | 0        | 0        | 0        | 0        | 0              |
| <b>Total</b>          | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b> | <b>0</b>       |
| <b>% by age group</b> |          |          |          |          | <b>100%</b>    |

ND: no data submitted

## 5. Laboratory & other investigations

|                         | Total    |
|-------------------------|----------|
| Haematology             | 0        |
| Imaging (X-ray, MRI/CT) | 0        |
| Other                   | 0        |
| <b>Total</b>            | <b>4</b> |

## 6. EPI and Vitamin A

|  | <1 | 1 to <5 | Total |
|--|----|---------|-------|
| BCG  | 0  | 0       | 0     |
| Hepatitis B birth dose                     | 0  | 0       | 0     |
| DPT I/HiB I/Hep B I* (Pentavalent I)       | 0  | 0       | 0     |
| DPT II/HiB II* (Tetravalent)               | 0  | 0       | 0     |
| DPT III/HiB III/Hep B II* (Pentavalent II) | 0  | 0       | 0     |
| Polio 0                                    | 0  | 0       | 0     |
| Polio I                                    | 0  | 0       | 0     |
| Polio II                                   | 0  | 0       | 0     |
| Polio III                                  | 0  | 0       | 0     |
| Measles                                    | 0  | 0       | 0     |
| MMR  | 0  | 0       | 0     |
| Rotavirus 1                                | 0  | 0       | 0     |
| Rotavirus 2                                | 0  | 0       | 0     |
| Rotavirus 3                                | 0  | 0       | 0     |
| Vitamin A                                  | 0  | 0       | 0     |
| Additional vaccines                        | 0  | 0       | 0     |

| EPI Indicators (since December 2013) |                        |      |
|--------------------------------------|------------------------|------|
| Total vaccinated this week           |                        | 0    |
| a. Program dropout rate*             |                        | -30% |
| b. Immunisation coverage             |                        |      |
|                                      | BCG                    | 56%  |
|                                      | Hepatitis B birth dose | 64%  |
|                                      | DPT I                  | 84%  |
|                                      | DPT III                | 78%  |
|                                      | Polio I                | 89%  |
|                                      | Polio III              | 170% |
|                                      | Measles                | 112% |
|                                      | MMR**                  | 42%  |
|                                      | Rotavirus I            | 48%  |
|                                      | Rotavirus III          | 124% |
| c. Vitamin A coverage                |                        |      |

Note: If actual population living in the camps is lower than reported population, coverage indicators will be artificially depressed.

\*If program dropout <0%, please review data recording and reporting procedures for multi-dose vaccines  
Targets: Program dropout, 0 to <10%. Immunisation coverage, ≥90%  
\*\*For most indicators, coverage estimates calculated for <1 years. MMR calculated for 1 to <2 years.

## 7. Reproductive Health

### 7.1 Antenatal care

|  | < 18           | ≥ 18 | Total |
|--|----------------|------|-------|
| First antenatal visit < 1st trimester                      |                |      |       |
| First antenatal visit > 1st trimester                      |                |      |       |
| Number of pregnant women at time of delivery who received: | <b>NO DATA</b> |      |       |
| ≥ 4 ANC visits   |                |      |       |
| 2 TT doses   |                |      |       |
| anaemia screening  |                |      |       |

ND: no data submitted

| ANC Indicators   |  |
|--|--|
| Proportion of first time antenatal visits made < 1st trimester |  |

### 7.2 Postnatal care

|  | < 18 | ≥ 18 | Total          |
|--|------|------|----------------|
| Women who attended 3 postnatal visits within 6 wks of delivery |      |      | <b>NO DATA</b> |

ND: no data submitted

### 6.3 Sexual and gender-based violence

|   | < 18 |   | ≥ 18 |   | Total |
|---|------|---|------|---|-------|
|   | M    | F | M    | F |       |
| Total no rape survivors seen  | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 72 hours                      | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 72 -120 hours                 | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined within 120 hrs - 2 weeks             | 0    | 0 | 0    | 0 | 0     |
| No. of rape survivors examined after 2 weeks                        | 0    | 0 | 0    | 0 | 0     |
| No of rape survivors given PEP within 72 hours                      | 0    | 0 | 0    | 0 | 0     |
| No of female rape survivors given ECP within 120 hours              |      |   |      |   | 0     |
| No of rape survivors given STI presumptive treatment within 2 weeks | 0    | 0 | 0    | 0 | 0     |
| No. cases of trauma in health centre due to domestic violence       | 0    | 0 | 0    | 0 | 0     |

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

| SGBV Indicators  |  |            |
|--|--|------------|
| Incidence of reported rape   |  | <b>0.0</b> |
| Proportion of rape survivors who receive PEP < 72 hrs                      |  |            |
| Proportion of female rape survivors who receive ECP < 120 hrs              |  |            |
| Proportion of rape survivors who receive STI presumptive treatment < 2 wks |  |            |

Data Sources

1. Health Information System

Publication date:

31 March 2014

Contact Information

Erbil  
Dr Chimmen Akrawi, DOH Erbil

Email: chimmentya@yahoo.com

Erbil  
Mohammed Marzooq, UNHCR

Email: MARZOOQ@unhcr.org

We gratefully acknowledge the contributions of the following agencies:

