

Population	0 to <1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	656	620	1,276	3,058	2,991	6,049	7,094	6,487	13,581	6,790	7,966	14,755	322	486	808	36,470
% by age group			4%			17%			37%			40%			2%	100%

2.1 Mortality

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	2	2	20%	0	1	1	0	0	0	0	0	0	3	13%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	2	1	3	3	13%
5. Cardiovascular disorders (other)	0	1	1	10%	0	0	0	0	0	0	1	0	1	2	8%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
7. Chronic kidney disease	0	0	0	0%	0	0	0	1	0	1	1	1	2	3	13%
8. Injury	0	1	1	10%	1	0	1	0	0	0	0	0	0	2	8%
9. Cancer	0	0	0	0%	0	0	0	0	0	0	0	1	1	1	4%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	5	0	5	50%	0	0	0	0	0	0	0	0	0	5	21%
13. COVID-19	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14. Other	1	0	1	10%	0	0	0	0	0	0	3	1	4	5	21%
Total	6	4	10	100%	1	1	2	1	0	1	7	4	11	24	100%
% by age group			42%				8%				4%			46%	100%

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.3	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.5	0.3	0.4
Neonatal Mortality Rate (NNMR) (/1000 population/month)			14.5

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3.1 Staffing and service availability

Number of full-time clinicians	23.2
Average number of full days on which each health facility was functioning	5.8
Total number of outpatient consultations	75,467
Health facility utilisation rate	7.8
Consultations per clinician per day	40

3.2 Acute health conditions

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	3,431	3,062	6,493	886.3	3,267	3,055	6,322	2,102	2,808	4,910	120	155	275	18,000	34%	493.6
Influenza-like illness (ILI)	1,293	1,161	2,454	335.0	1,215	1,125	2,340	918	1,120	2,038	50	50	100	6,932	13%	190.1
Lower Respiratory Tract Infection (LRTI)	986	804	1,790	244.4	165	105	270	49	37	86	7	5	12	2,158	4%	59.2
Watery diarrhoea*	261	246	507	69.2	102	54	156	64	108	172	3	4	7	842	2%	23.1
Bloody diarrhoea*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Skin infection	259	251	510	69.6	169	205	374	181	245	426	12	15	27	1,337	3%	36.7
Eye infection	211	187	398	54.3	63	59	122	134	144	278	9	12	21	819	2%	22.5
Ear infection	315	320	635	86.7	162	178	340	184	335	519	13	12	25	1,519	3%	41.7
Dental Conditions	46	43	89	12.1	620	581	1,201	1,399	1,790	3,189	76	40	116	4,595	9%	126.0
Intestinal Worms	70	61	131	17.9	120	106	226	52	43	95	0	0	0	452	1%	12.4
Acute Jaundice Syndrome*	16	10	26	3.5	13	14	27	0	0	0	0	0	0	53	0%	1.5
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	0	1	1	0.1	5	0	5	0	0	0	0	0	0	6	0%	0.2
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Fever of unknown origin	5	3	8	1.1	1	2	3	2	4	6	0	0	0	17	0%	0.5
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
COVID-19 (suspected)	1	0	1	0.1	1	0	1	1	0	1	0	0	0	3	0%	0.1
Other	1,590	1,639	3,229	440.8	1,816	2,100	3,916	3,302	5,056	8,358	304	391	695	16,198	31%	444.1
Total	8,484	7,788	16,272	2221.3	7,719	7,584	15,303	8,388	11,691	20,079	594	684	1,278	52,932	100%	1451.4
% by age group			31%				29%			38%			2%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	2	9	11	183	252	435	74	123	197	643	17%
Hypertension	0	0	0	1	1	2	384	463	847	162	236	398	1,247	34%
Asthma	63	57	120	63	40	103	61	97	158	28	18	46	427	12%
Ischaemic heart disease	0	0	0	0	0	0	47	23	70	37	24	61	131	4%
Cardiovascular disease (other)	2	1	3	1	4	5	22	23	45	12	12	24	77	2%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	13	6	19	12	4	16	35	1%
Liver disease	0	0	0	0	0	0	0	2	2	1	1	2	4	0%
Thyroid problems	2	0	2	11	10	21	19	161	180	2	9	11	214	6%
Cancer	0	0	0	13	0	13	0	29	29	0	1	1	43	1%
Other	37	24	61	25	25	50	313	325	638	74	49	123	872	24%
Total	104	82	186	116	89	205	1,042	1,381	2,423	402	477	879	3,693	100%
% by age group			5%			6%			66%			24%	100%	

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	14	27	41	157	101	258	164	123	287	4	9	13	599	27%
2. Alcohol and other substance use disorder	0	0	0	1	0	1	15	0	15	0	0	0	16	1%
3. Psychotic disorder (including mania)	0	0	0	3	1	4	67	42	109	2	16	18	131	6%
4. Intellectual disability	5	6	11	46	27	73	18	10	28	1	0	1	113	5%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	33	17	50	271	493	764	8	12	20	834	37%
6. Medically unexplained somatic complaint	0	0	0	7	8	15	25	10	35	0	3	3	53	2%
Other psychological complaints	2	0	2	172	148	320	74	73	147	8	6	14	483	22%
Total	21	33	54	419	302	721	634	751	1,385	23	46	69	2,229	100%
% by age group			2%			32%			62%			3%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	1	0	1	0	0	0	0	0	0	0	0	0	1	0%
2. Injury (war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Injury (Burns)	14	16	30	4	9	13	3	8	11	1	0	1	55	2%
4. Assault (with weapon non-war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	302	325	627	442	481	923	409	401	810	115	92	207	2,567	98%
Total	317	341	658	446	490	936	412	409	821	116	92	208	2,623	100%
% by age group			25%			36%			31%			8%	100%	

3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	11	11	0	440	440	451	50%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	1	1	0	3	3	4	0%
3. Lower abdominal pain	0	7	7	0	147	147	154	17%
Other	0	0	0	0	298	298	298	33%
Total	0	19	19	0	888	888	907	100%
% by age group			2%			98%	100%	

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
Number at beginning of reporting period	4	4	8	0	1	1	0	4	4	0	0	0	13	
Total admissions	304	142	446	39	31	70	20	333	353	0	0	0	869	
Number of exits	authorized	281	123	404	36	28	64	20	317	337	0	0	0	805
	unauthorized	4	6	10	0	0	0	0	18	18	0	0	0	28
	death referral	0	0	0	0	0	0	0	0	0	0	0	0	0
Total exits	306	144	450	40	31	71	20	336	356	0	0	0	877	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	98
Number of beds	26
Sum number of days stay for authorised discharges	1,905
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.4
Bed occupancy	81%
Hospitalisation rate (/1000 population/month)	7.5

4.2 In-patient Admissions and Deaths

	0 to 4		US CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	289	0	0%	49	0	0%	0	0	0	0	0	338	0	0%
2. General Surgery	157	0	0%	17	0	0%	59	0	0%	0	0	233	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		4	0	0%	290	0	0%	0	0	294	0	0%
6. Gynaecology	0	0		0	0		3	0	0%	0	0	3	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
Total	446	0	0%	70	0	0%	352	0	0%	0	0	868	0	0%

Adm. = Admission; CFR = Case Fatality Rate

5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	11	11	24	24	24	24	2	2	61
2. Jordan University Hospital	17	17	17	17	20	20	1	1	55
3. Private affiliated Hospital	180	180	188	188	381	381	36	36	785
4. Royal Medical Services	2	2	0	0	1	1	0	0	3
5. Other	0	0	1	1	0	0	0	0	1

Total number of referred cases outside the camp 905

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	169	169	12	12	0	0	0	0	181
2.	Internal medicine	9	9	91	91	252	252	21	21	373
3.	Obstetric	0	0	3	3	50	50	0	0	53
4.	Gynaecological	0	0	5	5	9	9	1	1	15
5.	Surgical	22	22	91	91	74	74	6	6	193
6.	Other	10	10	28	28	41	41	11	11	90

	Total
Number of laboratory tests conducted	21,457

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	18	454	472
First antenatal visit > 1st trimester	0	191	191

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	71%

8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening
Number of pregnant women at time of delivery who received:	3	1	6
	214	43	301
	217	44	307

Coverage of complete antenatal care	63%
Coverage of antenatal tetanus immunisation	13%
Coverage of anaemia screening in pregnancy	89%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	6	339	345
Still births	0	2	2
Low birth weight (<2500 g)	1	20	21
Attended by skilled health worker	6	332	338
Number of obstetric complications treated	0	4	4
Number of caesarean sections performed	3	73	76

Delivery Indicators	
Crude birth rate (/1000 population/ month)	3.0
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	6%
Proportion of all births performed by caesarean section	22%
Proportion of obstetric complications treated among girls < 18	0%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	8	284	292

Postnatal Indicators	
Coverage of complete postnatal care	85%

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	6	272	5	955	1,238
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	40	0	39	79
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	48	0	5	54
Condom (Male)	6	227	10	552	795
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	55	2,949

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Note

This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.

Published on

**Contact
Information**

UNHCR
Adam Musa Khalifa
Email: KHALIFAA@unhcr.org



We gratefully
acknowledge the contributions of
the following agencies:

