

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	662	625	1,288	3,085	3,017	6,103	7,156	6,545	13,701	6,850	8,036	14,886	325	491	815	36,792
% by age group			4%			17%			37%			40%			2%	100%

**2.1 Mortality**

Record ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
5. Cardiovascular disorders (other)	0	0	0	0%	0	0	0	0	0	0	1	1	2	2	14%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	7%
7. Chronic kidney disease	0	1	1	17%	0	1	1	0	0	0	0	0	0	2	14%
8. Injury	0	0	0	0%	0	1	1	0	0	0	0	0	0	1	7%
9. Cancer	0	0	0	0%	0	0	0	0	2	2	0	1	1	3	21%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	2	2	4	67%	0	0	0	0	0	0	0	0	0	4	29%
13. COVID-19	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
14. Other	0	1	1	17%	0	0	0	0	0	0	0	0	0	1	7%
<b>Total</b>	<b>2</b>	<b>4</b>	<b>6</b>	<b>100%</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>14</b>	<b>100%</b>
% by age group			43%			14%			21%			21%		100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.2	0.1
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.2	0.4	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			13.7

**2.2 Maternal death**

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

**3.1 Staffing and service availability**

Number of full-time clinicians	21.4
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	54,334
Health facility utilisation rate	6.0
Consultations per clinician per day	34

**3.2 Acute health conditions**

Record NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	1,551	1,274	2,825	382.3	962	925	1,887	700	1,073	1,773	25	76	101	6,586	18%	179.0
Influenza-like illness (ILI)	497	415	912	123.4	245	220	465	311	433	744	6	14	20	2,141	6%	58.2
Lower Respiratory Tract Infection (LRTI)	450	286	736	99.6	49	32	81	19	42	61	5	4	9	887	2%	24.1
Watery diarrhoea*	388	370	758	102.6	63	76	139	73	136	209	5	11	16	1,122	3%	30.5
Bloody diarrhoea*	7	1	8	1.1	1	1	2	0	3	3	0	0	0	13	0%	0.4
Skin infection	217	232	449	60.8	208	274	482	231	256	487	18	12	30	1,448	4%	39.4
Eye infection	112	87	199	26.9	117	104	221	188	187	375	7	13	20	815	2%	22.2
Ear infection	154	124	278	37.6	73	120	193	173	367	540	10	13	23	1,034	3%	28.1
Dental Conditions	50	49	99	13.4	653	811	1,464	1,371	2,076	3,447	33	37	70	5,080	14%	138.1
Intestinal Worms	43	57	100	13.5	76	84	160	24	36	60	0	0	0	320	1%	8.7
Acute Jaundice Syndrome*	19	13	32	4.3	16	14	30	0	2	2	0	0	0	64	0%	1.7
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	2	0	2	0.3	0	0	0	0	0	0	0	0	0	2	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Fever of unknown origin	0	1	1	0.1	0	0	0	1	1	2	0	0	0	3	0%	0.1
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
COVID-19 (confirmed)	2	0	2	0.3	10	15	25	16	15	31	0	1	1	59	0%	1.6
Other	1,757	1,796	3,553	480.8	1,846	2,235	4,081	2,668	5,471	8,139	294	374	668	16,441	46%	446.9
<b>Total</b>	<b>5,249</b>	<b>4,705</b>	<b>9,954</b>	<b>1346.9</b>	<b>4,319</b>	<b>4,912</b>	<b>9,231</b>	<b>5,775</b>	<b>10,098</b>	<b>15,873</b>	<b>403</b>	<b>555</b>	<b>958</b>	<b>36,016</b>	<b>100%</b>	<b>978.9</b>
% by age group			28%			26%			44%			3%	100%			

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

**3.3 Chronic health conditions**

Record NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
Diabetes	0	0	0	6	16	22	146	215	361	64	127	191	574	19%
Hypertension	0	0	0	1	1	2	299	350	649	130	193	323	974	32%
Asthma	34	10	44	42	16	58	57	53	110	19	9	28	240	8%
Ischaemic heart disease	0	0	0	0	1	1	68	24	92	31	25	56	149	5%
Cardiovascular disease (other)	1	3	4	2	0	2	26	18	44	18	10	28	78	3%
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	12	8	20	18	4	22	42	1%
Liver disease	0	0	0	0	0	0	0	1	1	0	0	0	1	0%
Thyroid problems	1	0	1	7	5	12	16	135	151	0	10	10	174	6%
Cancer	0	0	0	6	0	6	1	66	67	0	1	1	74	2%
Other	52	38	90	21	39	60	221	258	479	45	33	78	707	23%
<b>Total</b>	<b>88</b>	<b>51</b>	<b>139</b>	<b>85</b>	<b>78</b>	<b>163</b>	<b>846</b>	<b>1,128</b>	<b>1,974</b>	<b>325</b>	<b>412</b>	<b>737</b>	<b>3,013</b>	<b>100%</b>
% by age group			5%		5%		66%		24%		100%			



## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	85	85	13	13	0	0	0	0	98
2.	Internal medicine	8	8	54	54	195	195	14	14	271
3.	Obstetric	0	0	1	1	62	62	1	1	64
4.	Gynaecological	0	0	2	2	6	6	0	0	8
5.	Surgical	2	2	37	37	19	19	1	1	59
6.	Other	6	6	21	21	10	10	3	3	40

	Total
Number of laboratory tests conducted	20,457

## 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	16	355	371
First antenatal visit > 1st trimester	3	80	83

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	82%

## 8.2 Antenatal care in facility

	≥ 4 ANC visits at time of delivery who received:	5	215	220
2 TT doses	1	48	49	
anaemia screening	7	280	287	

Coverage of complete antenatal care	75%
Coverage of antenatal tetanus immunisation	17%
Coverage of anaemia screening in pregnancy	98%

## 8.3 Delivery care

	< 18	≥ 18	Total
Live births	7	286	293
Still births	0	3	3
Low birth weight (<2500 g)	0	25	25
Attended by skilled health worker	7	279	286
Number of obstetric complications treated	0	2	2
Number of caesarean sections performed	0	78	78

Delivery Indicators	
Crude birth rate (/1000 population/ month)	2.7
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	9%
Proportion of all births performed by caesarean section	27%
Proportion of obstetric complications treated among girls < 18	0%

## 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	2	86	88

Postnatal Indicators	
Coverage of complete postnatal care	30%

## 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	5	162	0	428	595
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	36	0	36	72
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	0	24	0	4	28
Condom (Male)	5	124	0	294	423
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	38	1,588

## 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours	0	0	0	0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

**Note**

*This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Published on

**Contact  
Information**

**UNHCR**  
Adam Musa Khalifa  
Email: KHALIFAA@unhcr.org



We gratefully acknowledge the contributions of the following agencies:

