

Population	0 to < 1			1 to 4			5 to 17			18 to 59			> 60			Total > 60	Grand total
	M	F	Total <1	M	F	Total 1 to 4	M	F	Total 5 to 17	M	F	Total 18 to 59	M	F	Total > 60		
Refugee population	669	632	1,300	3,116	3,047	6,163	7,227	6,610	13,837	6,918	8,116	15,033	328	495	823	37,157	
% by age group			4%			17%			37%			40%			2%	100%	

**2.1 Mortality**

Record ONE cause of mortality per case	0 to 4			Total <5	US % mort	5 to 17			Total 5 to 17	18 to 59			Total 18 to 59	> 60			Total > 60	Grand total	Crude % mort
	M	F	Total <5			M	F	Total 5 to 17		M	F	Total 18 to 59		M	F	Total > 60			
1. Lower Respiratory Tract Infection (LRTI)	0	1	1	8%	0	0	0	0	1	0	0	1	0	0	1	3	8%		
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0	0	0%		
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0	0	0%		
4. Ischaemic heart disease	0	0	0	0%	0	0	0	0	1	0	1	0	0	0	1	3%			
5. Cardiovascular disorders (other)	1	1	2	17%	0	0	0	0	0	2	2	2	4	6	17%				
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	2	2	2	1	3	5	14%				
7. Chronic kidney disease	0	1	1	8%	0	1	1	0	0	0	1	1	2	4	11%				
8. Injury	0	0	0	0%	0	1	1	0	0	0	0	0	0	1	3%				
9. Cancer	0	0	0	0%	1	0	1	0	5	5	0	1	1	7	19%				
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0	0%			
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0	0%			
12. Neonatal death	4	3	7	58%	0	0	0	0	0	0	0	0	0	7	19%				
13. COVID-19	0	0	0	0%	0	0	0	1	0	1	0	0	0	1	3%				
14. Other	0	1	1	8%	0	0	0	0	0	0	0	0	0	1	3%				
<b>Total</b>	<b>5</b>	<b>7</b>	<b>12</b>	<b>100%</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>7</b>	<b>10</b>	<b>5</b>	<b>6</b>	<b>11</b>	<b>36</b>	<b>100%</b>				
% by age group			33%			8%			28%			31%		100%					

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000 population/month)	0.1	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000 population/month)	0.2	0.3	0.3
Neonatal Mortality Rate (NNMR) (/1000 population/month)			10.6

**2.2 Maternal death**

Number of maternal deaths reported	1
Number of maternal deaths investigated	1
Proportion of maternal deaths investigated	100%

**3.1 Staffing and service availability**

Number of full-time clinicians	21.5
Average number of full days on which each health facility was functioning	5.7
Total number of outpatient consultations	112,058
Health facility utilisation rate	6.1
Consultations per clinician per day	35

**3.2 Acute health conditions**

Record NEW cases of disease only	0 to 4			Total <5	US Incid	5 to 17			Total 5 to 17	18 to 59			Total 18 to 59	> 60			Total > 60	Grand total	% by cause	Crude Incide
	M	F	Total <5			M	F	Total 5 to 17		M	F	Total 18 to 59		M	F	Total > 60				
Upper Respiratory Tract Infection (URTI)	3,460	3,043	6,503	871.3	2,184	2,217	4,401	1,657	2,435	4,092	87	143	230	15,226	21%	409.8				
Influenza-like illness (ILI)	908	751	1,659	222.3	438	392	830	612	724	1,336	11	20	31	3,856	5%	103.8				
Lower Respiratory Tract Infection (LRTI)	848	533	1,381	185.0	97	64	161	46	68	114	11	11	22	1,678	2%	45.2				
Watery diarrhoea*	775	702	1,477	197.9	139	139	278	130	217	347	8	17	25	2,127	3%	57.2				
Bloody diarrhoea*	10	1	11	1.5	2	2	4	0	3	3	0	0	0	18	0%	0.5				
Skin infection	416	482	898	120.3	369	570	939	403	543	946	43	22	65	2,848	4%	76.6				
Eye infection	201	149	350	46.9	187	161	348	350	360	710	19	30	49	1,457	2%	39.2				
Ear infection	262	241	503	67.4	155	226	381	365	676	1,041	25	28	53	1,978	3%	53.2				
Dental Conditions	108	117	225	30.1	1,419	1,651	3,070	2,934	4,416	7,350	65	78	143	10,788	15%	290.3				
Intestinal Worms	89	136	225	30.1	193	181	374	66	83	149	1	0	1	749	1%	20.2				
Acute Jaundice Syndrome*	43	21	64	8.6	28	29	57	1	3	4	0	0	0	125	0%	3.4				
Measles (suspected)*	1	0	1	0.1	0	0	0	0	0	0	0	0	0	1	0%	0.0				
Meningitis (suspected)*	2	2	4	0.5	2	0	2	0	0	0	0	0	0	6	0%	0.2				
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0				
Leishmaniasis	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0				
Fever of unknown origin	2	1	3	0.4	0	0	0	2	1	3	0	0	0	6	0%	0.2				
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0				
COVID-19 (confirmed)	28	33	61	8.2	87	119	206	130	156	286	6	14	20	573	1%	15.4				
Other	3,392	3,436	6,828	914.8	3,508	4,504	8,012	5,273	9,985	15,258	624	708	1,332	31,430	43%	845.9				
<b>Total</b>	<b>10,545</b>	<b>9,648</b>	<b>20,193</b>	<b>2705.6</b>	<b>8,808</b>	<b>10,256</b>	<b>19,064</b>	<b>11,969</b>	<b>19,670</b>	<b>31,639</b>	<b>900</b>	<b>1,071</b>	<b>1,971</b>	<b>72,867</b>	<b>100%</b>	<b>1961.1</b>				
% by age group			28%			26%			43%			3%		100%						

\* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

**3.3 Chronic health conditions**

Record NEW and REVISITS	0 to 4			Total < 5	5 to 17			Total 5 to 17	18 to 59			Total 18 to 59	> 60			Total > 60	Grand total	% by cause
	M	F	Total < 5		M	F	Total 5 to 17		M	F	Total 18 to 59		M	F	Total > 60			
Diabetes	0	0	0	12	32	44	296	437	733	142	257	399	1,176	20%				
Hypertension	0	0	0	1	1	2	624	756	1,380	280	396	676	2,058	34%				
Asthma	68	32	100	77	31	108	104	124	228	37	13	50	486	8%				
Ischaemic heart disease	0	0	0	0	1	1	126	43	169	62	50	112	282	5%				
Cardiovascular disease (other)	1	9	10	3	0	3	46	52	98	25	17	42	153	3%				
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	0	0	17	12	29	30	9	39	68	1%				
Liver disease	0	0	0	0	0	0	1	4	5	0	0	0	5	0%				
Thyroid problems	1	0	1	14	12	26	42	287	329	4	16	20	376	6%				
Cancer	0	0	0	6	0	6	3	79	82	1	1	2	90	1%				
Other	82	70	152	41	69	110	430	485	915	95	62	157	1,334	22%				
<b>Total</b>	<b>152</b>	<b>111</b>	<b>263</b>	<b>154</b>	<b>146</b>	<b>300</b>	<b>1,689</b>	<b>2,279</b>	<b>3,968</b>	<b>676</b>	<b>821</b>	<b>1,497</b>	<b>6,028</b>	<b>100%</b>				
% by age group			4%			5%			66%			25%		100%				

### 3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	39	35	74	185	113	298	170	166	336	10	25	35	743	21%
2. Alcohol and other substance use disorder	0	0	0	2	2	4	28	2	30	0	0	0	34	1%
3. Psychotic disorder (including mania)	0	0	0	2	2	4	38	88	126	26	42	68	198	6%
4. Intellectual disability	5	3	8	41	15	56	24	39	63	3	10	13	140	4%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	112	78	190	453	837	1,290	15	10	25	1,505	44%
6. Medically unexplained somatic complaint	0	0	0	3	12	15	30	25	55	0	0	0	70	2%
Other psychological complaints	8	5	13	266	185	451	127	156	283	14	8	22	769	22%
<b>Total</b>	<b>52</b>	<b>43</b>	<b>95</b>	<b>611</b>	<b>407</b>	<b>1,018</b>	<b>870</b>	<b>1,313</b>	<b>2,183</b>	<b>68</b>	<b>95</b>	<b>163</b>	<b>3,459</b>	<b>100%</b>
% by age group			3%			29%			63%			5%		100%

### 3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	0	0	0	1	0	1	4	2	6	0	0	0	7	0%
2. Injury (war related)	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Injury ( Burns)	165	141	306	327	146	473	149	152	301	13	4	17	1,097	27%
4. Assault (with weapon non-war related )	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
Other	345	257	602	521	354	875	448	905	1353	33	54	87	2,917	73%
<b>Total</b>	<b>510</b>	<b>398</b>	<b>908</b>	<b>849</b>	<b>500</b>	<b>1,349</b>	<b>601</b>	<b>1,059</b>	<b>1,660</b>	<b>46</b>	<b>58</b>	<b>104</b>	<b>4,021</b>	<b>100%</b>
% by age group			23%			34%			41%			3%		100%

### 3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	34	34	6	1246	1252	1286	62%
2. Urethral discharge	0	0	0	0	0	0	0	0%
3. Genital ulcer	0	0	0	0	9	9	9	0%
3. Lower abdominal pain	0	10	10	0	383	383	393	19%
Other	0	2	2	0	372	372	374	18%
<b>Total</b>	<b>0</b>	<b>46</b>	<b>46</b>	<b>6</b>	<b>2010</b>	<b>2016</b>	<b>2062</b>	<b>100%</b>
% by age group			2%			98%		100%

### 4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	> 60		Total > 60	Grand total	
	M	F		M	F		M	F		M	F			
<b>Number at beginning of reporting period</b>	3	3	6	0	1	1	0	2	2	0	0	0	9	
Total admissions	451	194	645	61	67	128	41	558	599	4	0	4	1,376	
Number of exits	authorized	438	180	618	56	64	120	41	535	576	4	0	4	1,318
	unauthorized	2	4	6	2	1	3	0	22	22	0	0	0	31
	death	0	0	0	0	0	0	0	0	0	0	0	0	0
referral	12	7	19	2	3	5	0	1	1	0	0	0	25	
<b>Total exits</b>	<b>452</b>	<b>191</b>	<b>643</b>	<b>60</b>	<b>68</b>	<b>128</b>	<b>41</b>	<b>558</b>	<b>599</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>1,374</b>	
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0	

Number of days in reporting period	182
Number of beds	26
Sum number of days stay for authorised discharges	2,762
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	2.1
Bed occupancy	61%
Hospitalisation rate (/1000 population/month)	6.3

### 4.2 In-patient Admissions and Deaths

	0 to 4		US CFR	5 to 17		5-17 CFR	18 to 59		18-59 CFR	> 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths		Adm	Deaths		Adm	Deaths		Adm	Deaths			
1. Paediatric medicine	398	0	0%	83	0	0%	0	0	0%	0	0	481	0	0%
2. General Surgery	247	0	0%	33	0	0%	91	0	0%	4	0	375	0	0%
3. Injury (non-war related)	0	0		0	0		0	0		0	0	0	0	
4. Internal medicine	0	0		0	0		0	0		0	0	0	0	
5. Obstetrics	0	0		12	0	0%	489	0	0%	0	0	501	0	0%
6. Gynaecology	0	0		0	0		19	0	0%	0	0	19	0	0%
7. Other	0	0		0	0		0	0		0	0	0	0	
<b>Total</b>	<b>645</b>	<b>0</b>	<b>0%</b>	<b>128</b>	<b>0</b>	<b>0%</b>	<b>599</b>	<b>0</b>	<b>0%</b>	<b>4</b>	<b>0</b>	<b>1,376</b>	<b>0</b>	<b>0%</b>

Adm. = Admission; CFR = Case Fatality Rate

### 5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1. MOH Hospital	31	31	89	89	70	70	20	20	210
2. Jordan University Hospital	2	2	1	1	27	27	0	0	30
3. Private affiliated Hospital	201	201	214	214	663	663	62	62	1,140
4. Royal Medical Services	0	0	0	0	1	1	0	0	1
5. Other	2	2	5	5	8	8	6	6	21
<b>Total number of referred cases outside the camp</b>		<b>1,402</b>							

## 5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	183	183	28	28	0	0	0	0	211
2.	Internal medicine	22	22	135	135	499	499	62	62	718
3.	Obstetric	0	0	5	5	161	161	1	1	167
4.	Gynaecological	0	0	6	6	12	12	0	0	18
5.	Surgical	13	13	100	100	51	51	11	11	175
6.	Other	18	18	35	35	46	46	14	14	113

	Total
Number of laboratory tests conducted	43,360

## 8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	33	794	827
First antenatal visit > 1st trimester	5	157	162

### ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	84%
----------------------------------------------------------------	-----

## 8.2 Antenatal care in facility

Number of pregnant women at time of delivery who received:	≥ 4 ANC visits			Total
2 TT doses	2	86		88
anaemia screening	15	639		654

Coverage of complete antenatal care	73%
Coverage of antenatal tetanus immunisation	13%
Coverage of anaemia screening in pregnancy	99%

## 8.3 Delivery care

	< 18	≥ 18	Total
Live births	15	647	662
Still births	0	6	6
Low birth weight (<2500 g)	0	47	47
Attended by skilled health worker	15	631	646
Number of obstetric complications treated	0	4	4
Number of caesarean sections performed	1	168	169

### Delivery Indicators

Crude birth rate (/1000 population/ month)	3.0
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	7%
Proportion of all births performed by caesarean section	26%
Proportion of obstetric complications treated among girls < 18	0%

## 8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	10	206	216

### Postnatal Indicators

Coverage of complete postnatal care	33%
-------------------------------------	-----

## 8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	13	372	2	889	1,276
Emergency Contraceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	0	74	0	76	150
Implantable (Norplant)	0	2	0	0	2
Intra-Uterine Device (IUD)	0	78	0	5	83
Condom (Male)	11	261	0	481	753
Other	0	0	0	0	0

	< 18	≥ 18
Family Planning Counseling*	73	3,236

## 8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours					
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

## Note

*This report for non-camp Syrian refugees in Jordan is compiled from health data obtained from reporting agencies and clinics. Data is collected using standardised Health Information System (HIS) data collection and reporting tools and aims to be as accurate as possible.*

Published on

Contact  
Information

UNHCR  
Adam Musa Khalifa  
Email: KHALIFAA@unhcr.org



We gratefully  
acknowledge the contributions of  
the following agencies:

