

1. Population

Population	0 to < 1		Total <1	1 to 4		Total 1 to 4	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		M	F		
Refugee population	1,662	1,583	3,246	5,837	5,486	11,322	14,745	13,990	28,735	16,783	16,928	33,711	888	1,257	2,145	79,159
% by age group			4%			14%			36%			43%			3%	100%

2. Mortality
2.1 Mortality

ONE cause of mortality per case	0 to 4		Total <5	US % mort	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	Crude % mort
	M	F			M	F		M	F		M	F			
1. Lower Respiratory Tract Infection (LRTI)	0	0	0	0%	0	0	0	0	1	1	0	0	0	1	1%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
4. Ischaemic heart disease	0	0	0	0%	0	0	0	1	0	1	0	1	1	2	3%
5. Cardiovascular disorders (other)	1	1	2	9%	0	0	0	0	0	0	2	4	6	8	10%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	1	1	2	3	5	6	8%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	2	2	2	3%
8. Injury	1	0	1	4%	0	0	0	0	0	0	0	0	0	1	1%
9. Cancer	0	0	0	0%	0	1	1	3	1	4	1	1	2	7	9%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
12. Neonatal death	6	8	14	61%	0	0	0	0	0	0	0	0	0	14	18%
13. COVID-19	1	0	1	4%	0	0	0	2	3	5	8	6	14	20	25%
14. Other	4	1	5	22%	2	1	3	4	0	4	3	3	6	18	23%
Total	13	10	23	100%	2	2	4	10	6	16	16	20	36	79	100%
% by age group			29%				5%			20%			46%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR) (/1000/month)	0.2	0.2	0.2
Under 5 Mortality Rate (USMR) (/1000/month)	0.3	0.2	0.3
Neonatal Mortality Rate (NNMR) (/1000 livebirths)			12.4

2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity
3.1 Staffing and service availability

Number of full-time clinicians	25.5
Average number of full days on which each health facility was functioning	4.7
Total number of outpatient consultations	138,132
Health facility utilisation rate	3.5
Consultations per clinician per day	45

3.2 Acute health conditions

NEW cases of disease only	0 to 4		Total <5	US Incid	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	Crude Incide
	M	F			M	F		M	F		M	F				
Upper Respiratory Tract Infection (URTI)	6,257	5,251	11,508	790	3,962	4,129	8,091	3,242	4,012	7,254	753	689	1,442	28,295	29%	357
Influenza-like illness (ILI)	1,106	1,062	2,168	149	1,099	1,173	2,272	791	1,164	1,955	298	319	617	7,012	7%	89
Lower Respiratory Tract Infection (LRTI)	324	292	616	42	156	125	281	123	163	286	73	47	120	1,303	1%	16
Watery diarrhoea*	92	93	185	13	11	7	18	18	23	41	0	2	2	246	0%	3
Bloody diarrhoea*	0	1	1	0	0	1	1	1	3	4	0	0	0	6	0%	0
Skin infection	936	932	1,868	128	738	1,187	1,925	740	1,058	1,798	290	252	542	6,133	6%	77
Eye infection	615	585	1,200	82	566	544	1,110	779	827	1,606	291	325	616	4,532	5%	57
Ear infection	959	952	1,911	131	570	566	1,136	415	464	879	211	216	427	4,353	4%	55
Dental Conditions	419	478	897	62	1,552	1,885	3,437	2,015	4,286	6,301	287	247	534	11,169	11%	141
Intestinal Worms	393	379	772	53	355	331	686	139	121	260	39	9	48	1,766	2%	22
Acute Jaundice Syndrome*	4	5	9	1	10	2	12	0	1	1	0	0	0	22	0%	0
Measles (suspected)*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Meningitis (suspected)*	2	4	6	0	0	2	2	0	0	0	0	0	0	8	0%	0
Acute Flaccid Paralysis*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Leishmaniasis	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
Fever of unknown origin	40	24	64	4	2	1	3	1	0	1	0	0	0	68	0%	1
Tuberculosis (suspected)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0
COVID-19 (suspected)	0	3	3	0	2	14	16	68	64	132	18	35	53	204	0%	3
COVID-19 (confirmed)	38	31	69	5	229	195	424	332	483	815	34	31	65	1,373	1%	17
Other	2,580	2,493	5,073	348	2,904	3,587	6,491	6,665	10,847	17,512	1,584	1,971	3,555	32,631	33%	412
Total	13,765	12,585	26,350	1,809	12,156	13,749	25,905	15,329	23,516	38,845	3,878	4,143	8,021	99,121	100%	1,252
% by age group			27%				26%			39%			8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

NEW and REVISITS	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause	
	M	F		M	F		M	F		M	F				
Diabetes	11	3	14	30	66	96	1,104	1,862	2,966	752	1,302	2,054	5,130	28%	
Hypertension	3	1	4	15	40	55	1,436	2,269	3,705	1,068	1,549	2,617	6,331	35%	
Asthma	330	235	565	383	256	639	339	337	676	154	100	254	2,134	12%	
Ischaemic heart disease	2	0	2	3	1	4	76	42	118	78	70	148	272	2%	
Cardiovascular disease (other)	8	13	21	1	8	9	57	44	101	22	36	58	189	1%	
Chronic obstructive pulmonary disease (COPD)	0	0	0	0	8	8	6	18	24	23	29	52	84	0%	
Liver disease	3	0	3	3	15	18	42	35	77	38	34	72	170	1%	
Thyroid problems	9	3	12	40	102	142	237	615	852	143	199	342	1,348	7%	
Cancer	1	1	2	3	6	9	7	9	16	6	8	14	41	0%	
Other	51	39	90	96	148	244	490	1,004	1,494	192	240	432	2,260	13%	
Total	418	295	713	574	650	1,224	3,794	6,235	10,029	2,476	3,567	6,043	18,009	100%	
% by age group			4%			7%			56%			34%	100%		

3.4 Mental health

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Epilepsy / seizures	13	19	32	232	191	423	461	357	818	2	2	4	1,277	29%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder (including mania)	3	2	5	26	34	60	663	294	957	6	7	13	1,035	23%
4. Intellectual disability	2	2	4	72	89	161	163	49	212	1	0	1	378	9%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	21	50	71	637	656	1,293	13	12	25	1,389	31%
6. Medically unexplained somatic complaint	0	0	0	1	14	15	8	23	31	0	0	0	46	1%
Other psychological complaints	4	15	19	60	78	138	58	58	116	2	11	13	286	6%
Total	22	38	60	412	456	868	1,990	1,437	3,427	24	32	56	4,411	100%
% by age group			1%			20%			78%			1%	100%	

3.5 Injuries

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total	% by cause
	M	F		M	F		M	F		M	F			
1. Bites (all causes)	5	3	8	19	3	22	9	6	15	1	5	6	51	1%
2. Injury (war related)	8	7	15	5	4	9	1	1	2	0	0	0	26	1%
3. Injury (Burns)	111	94	205	47	40	87	18	39	57	2	7	9	358	8%
4. Assault (with weapon non-war related)	0	0	0	0	1	1	0	0	0	0	0	0	1	0%
Other	462	385	847	1,017	514	1,531	844	562	1,406	109	133	242	4,026	90%
Total	586	489	1,075	1,088	562	1,650	872	608	1,480	112	145	257	4,462	100%
% by age group			24%			37%			33%			6%	100%	

3.6 Reproductive Tract Infections

	< 18		Total < 18	≥ 18		Total ≥ 18	Grand total	% by cause
	M	F		M	F			
1. Vaginal discharge	0	925	925	0	4,216	4,216	5,141	76%
2. Urethral discharge	0	31	31	2	3	5	36	1%
3. Genital ulcer	0	0	0	1	1	2	2	0%
3. Lower abdominal pain	0	48	48	0	618	618	666	10%
Other	1	75	76	4	814	818	894	13%
Total	1	1,079	1,080	7	5,652	5,659	6,739	100%
% by age group			16%			84%	100%	

4. In-patient Department

4.1 In-patient Department Activities

	0 to 4		Total < 5	5 to 17		Total 5 to 17	18 to 59		Total 18 to 59	≥ 60		Total ≥ 60	Grand total
	M	F		M	F		M	F		M	F		
Number at beginning of reporting period	0	0	0	0	0	0	0	0	0	0	0	0	0
Total admissions	0	0	0	0	91	91	11	1,052	1,063	1	1	2	1,156
Number of exits	authorized	0	0	0	48	48	9	519	528	1	4	5	581
	unauthorized	0	0	0	0	0	0	1	1	0	0	0	1
	death	0	0	0	0	0	0	0	0	0	0	0	0
referral	0	0	0	0	43	43	1	535	536	0	0	0	579
Total exits	0	0	0	0	91	91	10	1,055	1,065	1	4	5	1,161
Deaths within 24 hours	0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	189
Number of beds	16
Sum number of days stay for authorised discharges	885
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	1.5
Bed occupancy	60%
Hospitalisation rate (/1000/month)	2.4

4.2 In-patient Admissions and Deaths

	0 to 4			5 to 17			18 to 59		≥ 60		Total adm	Total deaths	Crude CFR
	Adm	Deaths	US CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	18-59 CFR	Adm			
1. Paediatric medicine	0	0		0	0		0	0	0	0	0	0	0
2. General Surgery	0	0		0	0		0	0	0	0	0	0	0
3. Injury (non-war related)	0	0		0	0		0	0	0	0	0	0	0
4. Internal medicine	0	0		0	0		0	0	0	0	0	0	0
5. Obstetrics	0	0		91	0	0%	1,041	0	0%	0	0	1,132	0
6. Gynaecology	0	0		0	0		0	0	0	0	0	0	0
7. COVID-19 (suspected)	0	0		0	0		4	0	0%	1	0	5	0%
8. COVID-19 (confirmed)	0	0		0	0		18	0	0%	1	0	19	0%
9. Other	0	0		0	0		0	0	0	0	0	0	0
Total	0	0		91	0	0%	1,063	0	0%	2	0	1,156	0%

5. Referral

5.1 Referrals by location

	0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	≥ 60	Total	Grand total
1. MOH Hospital	108	108	100	100	174	174	87	87	469
2. Jordan University Hospital	8	8	8	8	19	19	2	2	37
3. Private affiliated Hospital	219	219	292	292	1,011	1,011	86	86	1,608
4. Royal Medical Services	0	0	0	0	0	0	0	0	0
5. Other	0	0	0	0	0	0	0	0	0
Total No of referred cases out side the Camp		2,114							

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	≥ 60	Total	Grand total
1.	Paediatrics	229	229	97	97	0	0	0	0	326
2.	Internal medicine	28	28	99	99	234	234	114	114	475
3.	Obstetric	0	0	42	42	782	782	1	1	825
4.	Gynaecological	0	0	1	1	18	18	2	2	21
5.	Surgical	78	78	161	161	170	170	58	58	467
6.	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	66,482

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	476	1,839	2,315
First antenatal visit > 1st trimester	197	729	926

ANC Indicators

Proportion of first time antenatal visits made < 1st trimester	71%
--	-----

8.2 Antenatal care in facility

	≥ 4 ANC visits	2 TT doses	anaemia screening		
Number of pregnant women at time of delivery who received:	91	1041	1132		
	91	1030	1121		
	91	1041	1132		

Coverage of complete antenatal care	100%
Coverage of antenatal tetanus immunisation	99%
Coverage of anaemia screening in pregnancy	100%

8.3 Delivery care

	< 18	≥ 18	Total
Live births	91	1041	1132
Still births	0	0	0
Low birth weight (<2500 g)	0	0	0
Attended by skilled health worker	91	1041	1132
Number of obstetric complications treated	42	405	447
Number of caesarean sections performed	23	417	440

Delivery Indicators

Crude birth rate (/1000 population/ month)	2.4
Proportion of births attended by skilled health worker (excl. TBA)	100.0%
Proportion of low birth weight deliveries	0.0%
Proportion of all births performed by caesarean section	39%
Proportion of obstetric complications treated among girls < 18	46%

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	204	847	1,051

Postnatal Indicators

Coverage of complete postnatal care	93%
-------------------------------------	-----

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	
Oral contraceptives	308	853	416	2,447	4,024
Emergency Contraceptive Pill	0	34	0	0	34
Injectable (Depo-Provera)	16	117	64	151	348
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	28	166	7	77	278
Condom (Male)	143	503	187	1,515	2,348
Other	2	171	18	631	822

	< 18	≥ 18
Family Planning Counseling*	1,493	7,845

8.6 Sexual and gender-based violence

	< 18		≥ 18		Total
	M	F	M	F	
Total no rape survivors seen	0	0	0	5	5
No. of rape survivors examined within 72 hours	0	0	0	5	5
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	3	3
No of female rape survivors given ECP within 120 hours				5	5
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	5	5
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	2.5
Proportion of rape survivors who receive PEP < 72 hrs	60%
Proportion of female rape survivors who receive ECP < 120 hrs	100%
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	100%

Data Sources	1. Health Information System
---------------------	------------------------------

Contact Information	Amman Adam Musa Khalifa, UNHCR Email: khalifaa@unhcr.org
----------------------------	---



UNHCR gratefully acknowledges the support of the following partners:

