Za'atri | Jordan

Detailed Indicator Report First Quarter 2018 30 December 2017 - 30 March 2018

Population	0 to	< 1	Total <1	1 to	o 4	Total 1 to	5 to	17	Total 5 to	18 te	o 59	Total 18	> 60)	Total >	Grand
Population	м	F	Total <1	м	F	4	м	F	17	м	F	to 59	м	F	60	total
Refugee population	1,660	1,581	3,240	6,119	5,774	11,894	14,687	13,914	28,601	16,438	13,724	30,162	890	1,248	2,138	76,035
% by age group			4%			16%			38%			<mark>40%</mark>			3%	<mark>100%</mark>

2. Mortality

D	0 te	o 4	T	U5 %	5	to 17	Total 5	18 to	o 59	Total 18	>	60	Total >	Grand	Crude %
Record ONE cause of mortality per case	м	F	Total <5	mort	м	F	to 17	м	F	to 59	м	F	60	total	mort
1. Lower Respiratory Tract Infection (LRTI)	0	2	2	11%	0	0	0	0	0	0	0	1	1	3	5%
2. Watery diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
3. Bloody diarrhoea	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
 Ischaemic heart disease 	0	0	0	0%	0	0	0	1	0	1	3	1	4	5	8%
5. Cardiovascular disorders (other)	1	1	2	11%	0	0	0	0	1	1	7	4	11	14	21%
6. Cerebrovascular disease	0	0	0	0%	0	0	0	0	0	0	4	0	4	4	6%
7. Chronic kidney disease	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
8. Injury	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
9. Cancer	0	0	0	0%	0	0	0 0	1	1	2	2	1	3	5	8%
10. Chronic obstructive pulmonary disease (COPD)	0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
11. Tuberculosis (confirmed)	0	0	0	0%	0	0	0 0	0	0	0	0	0	0	0	0%
12. Neonatal death	3	5	8	44%	0	0	0	0	0	0	0	0	0	8	12%
13. Other	2	4	6	33%	3	1	4	1	3	4	5	8	13	27	41%
Total	6	12	18	100%	3	1	4	3	5	8	21	15	36	66	100%
% by age group			27%				6%			12%			55%	100%	
tality indicators	Male	Female	Total												
de Mortality Rate (CMR) (/1000/month)	0.3	0.3	0.3												
er 5 Mortality Rate (U5MR) (/1000/month)	0.3	0.5	0.4												
onatal Mortality Rate (NNMR) (/1000 livebirths)			9.9												

2.2 Maternal death

Number of maternal deaths reported	1
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

3. Morbidity

3.1 Staffing and service availability

	00.5
Number of full-time clinicians	62.5
Average number of full days on which each health facility was functioning	6.2
Total number of outpatient consultations	181,762
Health facility utilisation rate	9.6
Consultations per clinician per day	36

3.2 Acute health conditions

	0 to	4			5 t	o 17	Total 5	18 t	o 59	Total 18	>	60	Total >	Grand	% by	Crude
Record NEW cases of disease only	м	F	Total <5	U5 Incid	м	F	to 17	м	F	to 59	м	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	5,046	4,673	9,719	642.2	5,000	5,054	10,054	4,618	5,582	10,200	754	884	1,638	31,611	32%	415.7
Influenza-like illness (ILI)	2,063	2,095	4,158	274.7	1,961	1,779	3,740	1,435	1,894	3,329	211	250	461	11,688	12%	153.7
Lower Respiratory Tract Infection (LRTI)	1,146	792	1,938	128.1	735	767	1,502	692	764	1,456	236	236	472	5,368	6%	70.6
Watery diarrhoea*	59	40	99	6.5	53	51	104	41	32	73	14	13	27	303	0%	4.0
Bloody diarrhoea*	3	10	13	0.9	15	10	25	0	0	0	0	0	0	38	0%	0.5
Skin infection	556	541	1,097	72.5	495	598	1,093	661	731	1,392	183	166	349	3,931	4%	51.7
Eye infection	386	296	682	45.1	380	323	703	581	797	1,378	216	197	413	3,176	3%	41.8
Ear infection	460	544	1,004	66.3	495	589	1,084	775	896	1,671	229	164	393	4,152	4%	54.6
Dental Conditions	392	376	768	50.7	1,243	1,216	2,459	2,451	3,010	5,461	315	336	651	9,339	10%	122.8
Intestinal Worms	262	284	546	36.1	303	305	608	96	93	189	6	1	7	1,350	1%	17.8
Acute Jaundice Syndrome*	0	0	0	0.0	3	2	5	0	0	0	1	1	2	7	0%	0.1
Measles (suspected)*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Meningitis (suspected)*	2	1	3	0.2	4	1	5	0	0	0	0	0	0	8	0%	0.1
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Leishmaniasis	0	0	0	0.0	0	2	2	0	0	0	0	0	0	2	0%	0.0
Fever of unknown origin	20	7	27	1.8	3	0	3	0	0	0	0	0	0	30	0%	0.4
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	1,613	1,581	3,194	211.0	2,753	2,744	5,497	6,271	8,555	14,826	1,391	1,611	3,002	26,519	27%	348.8
Total	12,008	11,240	23,248	1536.1	13,443	13,441	26,884	17,621	22,354	39,975	3,556	3,859	7,415	97,522	100%	1282.6
% by age group			24%				28%			<mark>41%</mark>			8%	100%		

* indicates disease with epidemic potential. See guidance for alert thresholds and advice on how these should be interpreted.

3.3 Chronic health conditions

Record NEW and REVISITS	0 te	o 4	Total <	5 to	17	Total 5 to	18 to	59	Total 18	> 6	60	Total	Grand	% by
Record NEW and REVISITS	м	F	5	м	F	17	м	F	to 59	м	F	> 60	total	cause
Diabetes	1	1	2	47	57	104	937	1,349	2,286	948	1,120	2,068	4,460	16%
Hypertension	0	0	0	1	6	7	1,288	1,639	2,927	1,273	1,529	2,802	5,736	21%
Asthma	343	363	706	255	196	451	491	591	1,082	448	444	892	3,131	11%
Ischaemic heart disease	0	0	0	0	7	7	260	307	567	341	326	667	1,241	5%
Cardiovascular disease (other)	11	14	25	23	26	49	307	402	709	291	288	579	1,362	5%
Chronic obstructive pulmonary disease (COPD)	0	5	5	0	5	5	351	289	640	357	350	707	1,357	5%
Liver disease	1	0	1	0	0	0	7	19	26	9	4	13	40	0%
Thyroid problems	1	0	1	23	65	88	424	880	1,304	319	492	811	2,204	8%
Cancer	0	0	0	0	3	3	5	2	7	1	2	3	13	0%
Other	187	178	365	311	267	578	2,000	3,209	5,209	685	977	1,662	7,814	29%
Total	544	561	1,105	660	632	1,292	6,070	8,687	14,757	4,672	5,532	10,204	27,358	100%
% by age group			4%			5%			54%			37%	100%	

3.4 Mental health

	0 to	o 4	Total <	5 to	17	Total 5 to	18 t	o 59	Total 18	>	60	Total	Grand	% by
	М	F	5	м	F	17	м	F	to 59	м	F	> 60	total	cause
1. Epilepsy / seizures	15	3	18	133	100	233	220	139	359	1	3	4	614	35%
2. Alcohol and other substance use disorder	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
3. Psychotic disorder (including mania)	0	0	0	40	13	53	140	93	233	0	4	4	290	16%
4. Intellecutal disability	2	2	4	12	10	22	129	65	194	1	1	2	222	13%
5. Severe emotional disorder, including moderate-severe depression	0	0	0	44	14	58	244	215	459	1	0	1	518	29%
6. Medically unexplained somatic complaint	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
Other psychological complaints	0	1	1	60	25	85	17	15	32	1	6	7	125	7%
Total	17	6	23	289	162	451	751	527	1,278	4	14	18	1,770	100%
% by age group			1%			25%			72%			1%	100%	

3.5 Injuries

	0 to	o 4	Total <	5 to	17	Total 5 to	18 t	o 59	Total 18	>(60	Total	Grand	% by
	м	F	5	м	F	17	м	F	to 59	м	F	> 60	total	cause
1. Bites (all causes)	1	2	3	3	0	3	0	2	2	0	0	0	8	0%
2. Injury (war related)	0	5	5	0	0	0	1	1	2	0	0	0	7	0%
3. Injury (Burns)	165	163	328	119	154	273	51	84	135	5	12	17	753	6%
4. Assault (with weapon non-war related)	0	2	2	4	12	16	1	2	3	0	0	0	21	0%
Other	634	936	1,570	1,929	1,794	3,723	2,580	2,286	4,866	705	669	1,374	11,533	94%
Total	800	1,108	1,908	2,055	1,960	4,015	2,633	2,375	5,008	710	681	1,391	12,322	100%
% by age group			15%			33%			41%			11%	100%	

3.6 Reproductive Tract Infections

		<	18	Total <	≥ 1	18	Total ≥ 18	Grand	% by
		м	F	18	м	F	Total 2 To	total	cause
1.	Vaginal discharge	2	243	245	0	791	791	1,036	61%
2.	Urethral discharge	0	0	0	0	1	1	1	0%
3.	Genital ulcer	0	0	0	0	0	0	0	0%
3.	Lower abdominal pain	12	145	157	9	351	360	517	31%
	Other	0	27	27	0	108	108	135	8%
	Total	14	415	429	9	1,251	1,260	1,689	100%
	% by age group			25%			75%	100%	

4. In-patient Department

4.1 In-patient Department Activities

		0 t	o 4	Total <	5 to	o 17	Total 5 to	18 t	o 59	Total 18	>	60	Total	Grand
		м	F	5	м	F	17	м	F	to 59	м	F	> 60	total
Number at beginning of r	eporting period	0	0	0	0	0	0	2	0	2	0	0	0	2
Total admissions		19	13	32	16	75	91	47	703	750	2	7	9	882
	authorized	17	14	31	16	51	67	46	513	559	2	7	9	666
Number of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER OF EXILS	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	37	37	0	304	304	0	0	0	341
Total exits		17	14	31	16	88	104	46	817	863	2	7	9	1,007
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0

Number of days in reporting period	91
Number of beds	40
Sum number of days stay for authorised discharges	596.5
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	0.9
Bed occupancy	22%
Hospitalisation rate (/1000/month)	3.9

4.2 In-patient Admissions and Deaths

		0 te	o 4		5 te	o 17	5-17 CFR	18 t	o 59	18-59	>	60	Total	Total	Crude
		Adm	04 Deaths	US CFR	Adm	Deaths	5-17 CFR	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
1.	Paediatric medicine	32	0	0%	8	0	0%	0	0		0	0	40	0	<mark>0%</mark>
2.	General Surgery	0	0		6	0	0%	78	0	0%	5	0	89	0	0%
3.	Injury (non-war related)	0	0		5	0	0%	10	0	0%	2	0	17	0	<mark>0%</mark>
4.	Internal medicine	0	0		3	0	0%	8	0	0%	2	0	13	0	<mark>0%</mark>
5.	Obstetrics	0	0		66	0	0%	644	0	0%	0	0	710	0	0%
6.	Gynaecology	0	0		1	0	0%	6	0	0%	0	0	7	0	0%
7.	Other	0	0		2	0	0%	4	0	0%	0	0	6	0	0%
	Total	32	0	0%	91	0	0%	750	0	0%	9	0	882	0	<mark>0%</mark>

Adm. = Admission; CFR = Case Fatality Rate

5. Referral

5.1 Referrals by location

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	MOH Hospital	51	51	36	36	185	185	62	62	334
2.	Jordan University Hospital	32	32	43	43	82	82	20	20	177
3.	Private affiliated Hospital	151	151	130	130	672	672	74	74	1,027
4.	Royal Medical Services	3	3	0	0	0	0	0	0	3
5.	Other	0	0	0	0	0	0	0	0	0

Total No of reffered cases out side the Camp 1,541

5.2 Referrals by service

		0 to 4	Total < 5	5 to 17	Total 5 to 17	18 to 59	Total 18 to 59	> 60	Total	Grand total
1.	Paediatrics	131	131	0	0	0	0	0	0	131
2.	Internal medicine	45	45	81	81	412	412	92	92	630
3.	Obstetric	0	0	37	37	304	304	0	0	341
4.	Gynaecological	0	0	37	37	93	93	1	1	131
5.	Surgical	61	61	54	54	130	130	63	63	308
6	Other	0	0	0	0	0	0	0	0	0

6. Laboratory

	Total
Number of laboratory tests conducted	39,045

8. Reproductive Health

8.1 Antenatal care

	< 18	≥ 18	Total
First antenatal visit < 1st trimester	390	992	1,382
First antenatal visit > 1st trimester	76	670	746
ANC Indicators			
Proportion of first time antenatal visits made < 1st trimester	65%		

Proportion of first time antenatal visits made < 1st trimester

8.2 Antenatal care in facility

Number of an and a second second second	≥ 4 ANC visits	67	520	587
Number of pregnant women at time of delivery who received:	2 TT doses	66	507	573
and of delivery who received.	anaemia screening	74	682	756
Coverage of complete antenata	care	73%		
Coverage of antenatal tetanus in	nmunisation	71%		
Coverage of anaemia screening	in pregnancy	94%		

8.3 Delivery care

	< 18	≥ 18	Total
Live births	75	732	807
Still births	1	6	7
Low birth weight (<2500 g)	0	3	3
Attended by skilled health worker	75	732	807
Number of obstetric complications treated	28	95	123
Number of caesarean sections performed	28	307	335

Delivery Indicators

Crude birth rate (/1000 population/ month)	
Proportion of births attended by skilled health worker (excl. TBA)	
Proportion of low birth weight deliveries	
Proportion of all births performed by caesarean section	
Proportion of obsetric complications treated among girls < 18	

8.4 Postnatal care

	< 18	≥ 18	Total
At least three PNC visits within 6 weeks	87	477	564
Postnatal Indicators			
Coverage of complete postnatal care	70%		

8.5 Family planning

	New		Repeat		Total
	< 18	≥ 18	< 18	≥ 18	Total
Oral contraceptives	82	524	542	1,058	2,206
Emergency Contaceptive Pill	0	0	0	0	0
Injectable (Depo-Provera)	2	43	47	102	194
Implantable (Norplant)	0	0	0	0	0
Intra-Uterine Device (IUD)	1	184	1	38	224
Condom (Male)	28	418	476	858	1,780
Other	10	19	0	17	46
	< 18	≥ 18			
Family Planning Counseling*	640	2,534			

3.5 100% 0% 42% 23%

8.6 Sexual and gender-based violence

	< '	18	≥	T	
	м	F	м	F	Total
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	2	0	17	19

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape (/10,000 population/year)	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

