

# 1. Population

Population	0 to	< 1	Total <1	1 to	4	Total 1	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand
ropulation	M	F	Total > 1	M	F	to 4	M	F	to 17	M	F	to 59	M	F	60	total
Refugee population	1,984	2,478	4,462	11,290	14,327	25,617	29,389	30,004	59,393	27,894	37,013	64,907	1,625	2,762	4,387	158,766
% by age group			3%			16%			37%			41%			3%	100%

## 2. Mortality

## 2.1 Mortality

Record ONE cause of mortality per case		0 to	4	Total <5	U5 %	5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand	Crude %
Record ONE cause of mortality per case	·	M	F	TOtal \5	mort	M	F	to 17	M	F	to 59	M	F	60	total	mort
Lower Respiratory Tract Infection (LRTI)		0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Watery diarrhoea		0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Bloody diarrhoea		0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Cardiovascular disorders		0	0	0	0%	0	0	0	0	1	1	0	1	1	2	17%
Ischaemic heart disease		0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
6. Injury		0	1	1	17%	2	0	2	1	0	1	0	0	0	4	33%
7. Cancer		0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Chronic obstructive pulmonary disease (COPD)		0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
Tuberculosis (confirmed)		0	0	0	0%	0	0	0	0	0	0	0	0	0	0	0%
10. Neonatal death		2	0	2	33%	0	0	0	0	0	0	0	0	0	2	17%
Other		2	1	3	50%	0	0	0	0	1	1	0	0	0	4	33%
Total		4	2	6	100%	2	0	2	1	2	3	0	1	1	12	100%
% by age group				50%				17%			25%			8%	100%	

Mortality indicators	Male	Female	Total
Crude Mortality Rate (CMR)	0.4	0.2	0.3
Under 5 Mortality Rate (U5MR)	1.2	0.5	0.8
Neonatal Mortality Rate (NNMR)			36.4

#### 2.2 Maternal death

Number of maternal deaths reported	0
Number of maternal deaths investigated	0
Proportion of maternal deaths investigated	

## 3. Morbidity

## 3.1 Staffing and service availability

Number of full-time clinicians	67
Average number of full days on which each health facility was functioning	6.0
Total number of outpatient consultations	17,853
Health facility utilisation rate	5.8
Consultations per clinician per day	44

## 3.2 Acute health conditions

B INFW	0 to	4			5 to	17	Total 5	18 to	59	Total 18	> 6	0	Total >	Grand	% by	Crude
Record NEW cases of disease only	M	F	Total <5	U5 Incid	M	F	to 17	M	F	to 59	M	F	60	total	cause	Incide
Upper Respiratory Tract Infection (URTI)	715	669	1384	46.0	582	590	1172	558	651	1209	441	389	830	4595	36%	28.9
Influenza-like illness (ILI)	283	292	575	19.1	223	231	454	281	273	554	216	174	390	1973	16%	12.4
Lower Respiratory Tract Infection (LRTI)	150	133	283	9.4	83	103	186	112	94	206	76	43	119	794	6%	5.0
Watery diarrhoea*	395	284	679	22.6	95	106	201	51	49	100	24	12	36	1016	8%	6.4
Bloody diarrhoea*	21	14	35	1.2	3	4	7	4	2	6	0	0	0	48	0%	0.3
Skin infection	58	86	144	4.8	73	83	156	55	86	141	19	19	38	479	4%	3.0
Eye infection	70	61	131	4.4	47	40	87	43	29	72	6	9	15	305	2%	1.9
Dental Conditions	46	23	69	2.3	75	99	174	157	169	326	56	45	101	670	5%	4.2
Intestinal Worms	34	101	135	4.5	18	14	32	8	7	15	0	2	2	184	1%	1.2
Acute Jaundice Syndrome*	24	33	57	1.9	27	21	48	4	3	7	1	0	1	113	1%	0.7
Measles*	0	0	0	0.0	0	1	1	0	0	0	0	0	0	1	0%	0.0
Meningitis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Acute Flaccid Paralysis*	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Tuberculosis (suspected)	0	0	0	0.0	0	0	0	0	1	1	0	0	0	1	0%	0.0
Fever of unknown origin	26	16	42	1.4	9	3	12	0	0	0	0	0	0	54	0%	0.3
Sexually Transmitted Infection (STI)	0	0	0	0.0	0	0	0	0	0	0	0	0	0	0	0%	0.0
Other	330	305	635	21.1	336	278	614	312	496	808	191	185	376	2433	19%	15.3
Total	2152	2017	4169	138.6	1571	1573	3144	1585	1860	3445	1030	878	1908	12666	100%	79.8
% by age group			33%				25%			27%			15%	100%		

#### 3.3 Chronic health conditions

Record NEW and REVISITS	0 to	4	Total <	5 to	17	Total 5	18 to	59	Total 18	> 6	60	Total	Grand	% by
Record NEW and REVISITS	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Diabetes	10	15	25	30	35	65	207	261	468	206	184	390	948	23%
Hypertension	0	0	0	0	1	1	222	249	471	218	183	401	873	21%
Asthma	81	85	166	68	74	142	112	137	249	79	45	124	681	16%
Ischaemic heart disease	0	0	0	0	5	5	44	44	88	79	63	142	235	6%
Cardiovascular disorders	13	9	22	0	2	2	15	17	32	42	41	83	139	3%
Chronic obstructive pulmonary disease (COPD)	2	4	6	8	16	24	47	41	88	54	49	103	221	5%
Liver disease	21	12	33	8	9	17	11	19	30	8	4	12	92	2%
Thyroid problems	0	0	0	0	1	1	10	32	42	7	7	14	57	1%
Cancer	2	6	8	5	4	9	15	10	25	6	2	8	50	1%
Other	39	125	164	98	79	177	201	146	347	134	45	179	867	21%
Total	168	256	424	217	226	443	884	956	1840	833	623	1456	4163	100%
% by age group			10%			11%			44%			35%	100%	

## 3.4 Mental health

		0 t	o 4	Total <	5 to	17	Total 5	18 to	o 59	Total 18	> (	30	Total	Grand	% by
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
1	. PTSD	1	2	3	2	1	3	4	1	5	0	0	0	11	4%
2	. Alcohol and other substance abuse disorder	0	0	0	0	0	0	1	0	1	0	0	0	1	0%
3	. Schizophrenia	0	0	0	1	1	2	21	5	26	0	0	0	28	10%
4	. Chronic depression	0	0	0	3	5	8	7	6	13	5	2	7	28	10%
5	. Anxiety disorder	0	2	2	4	3	7	15	10	25	16	12	28	62	23%
6	. Medically unexplained somatic complaint	1	1	2	1	3	4	5	1	6	0	1	1	13	5%
	Other	2	13	15	16	15	31	46	23	69	8	5	13	128	47%
	Total	4	18	22	27	28	55	99	46	145	29	20	49	271	100%
	% by age group			8%			20%			54%			18%	100%	

# 3.5 Injuries

	0	to 4	Total <	5 to	17	Total 5	18 to	59	Total 18	> (	60	Total	Grand	% by
	M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total	cause
Bites (all causes)	(	0	0	3	2	5	1	0	1	0	0	0	6	1%
2. Assault (with weapon)	(	0	0	13	35	48	63	14	77	0	0	0	125	17%
Assault (no weapon)	8	10	18	11	7	18	9	5	14	2	0	2	52	7%
4. Accident	12	2 3	15	15	19	34	23	36	59	5	3	8	116	15%
Other	35	19	54	44	34	78	108	165	273	23	26	49	454	60%
Total	55	32	87	86	97	183	204	220	424	30	29	59	753	100%
% by age group			12%			24%			56%			8%	100%	

## 4. In-patient Department

## 4.1 In-patient Department Activities

		0 t	o 4	Total <	5 to	17	Total 5	18 to	o 59	Total 18	>	60	Total	Grand
		M	F	5	M	F	to 17	M	F	to 59	M	F	> 60	total
Number at beginning of rep	orting period	0	0	0	0	1	1	1	7	8	0	0	0	9
Total admissions		11	1	12	6	1	7	14	68	82	3	1	4	105
	authorized	8	1	9	6	0	6	18	56	74	3	1	4	93
Number of exits	unauthorized	0	0	0	0	0	0	0	0	0	0	0	0	0
Number of exits	death	0	0	0	0	0	0	0	0	0	0	0	0	0
	referral	0	0	0	0	0	0	0	10	10	0	0	0	10
Total exits		8	1	9	6	0	6	18	66	84	3	1	4	103
Deaths within 24 hours		0	0	0	0	0	0	0	0	0	0	0	0	0
% at end of reporting period by	by age group			27%			18%			55%			0%	100%

Number of days in reporting period	7
Number of beds	58
Sum number of days stay for authorised discharges	179.5
Proportion of < 5 IPD deaths within 24 hours	
Average length of stay (days)	0.5
Bed occupancy	13%
Hospitalisation rate	2.6

## 4.2 In-patient Admissions and Deaths

		0 t	o 4	U5 CFR	5 to	17	5-17	18 t	o 59	18-59	> (	60	Total	Total	Crude
		Adm	Deaths	US CFK	Adm	Deaths	CFR	Adm	Deaths	CFR	Adm	Deaths	adm	deaths	CFR
1.	Paediatric medicine	10	0	0%	1	0	0%	0	0		0	0	11	0	0%
2.	General Surgery	0	0		1	0	0%	6	0	0%	1	0	8	0	0%
3.	Injury (war related)	0	0		1	0	0%	5	0	0%	1	0	7	0	0%
4.	Injury (non war related)	0	0		3	0	0%	2	0	0%	0	0	5	0	0%
5.	Internal medicine	0	0		1	0	0%	2	0	0%	0	0	3	0	0%
6.	Obstetrics	0	0		0	0		63	0	0%	0	0	63	0	0%
7.	Gynaecology	0	0		0	0		0	0		0	0	0	0	
	Other	0	0		0	0		3	0	0%	3	0	6	0	0%
	Total	10	0	0%	7	0	0%	81	0	0%	5	0	103	0	0%

Adm. = Admission; CFR = Case Fatality Rate

## 6. Laboratory

	Total
Number of laboratory tests conducted	445

# 8. Reproductive Health

## 8.1 Antenatal care

		< 18	≥ 18	Total
First antenatal visit < 1st trimes	ter	65	40	105
First antenatal visit > 1st trimes	ter	54	232	286
N	≥ 4 ANC visits	0	15	15
Number of pregnant women at time of delivery who received:	2 TT doses	6	15	21
	anaemia screening	10	39	49

ANC Indicators	
Proportion of first time antenatal visits made < 1st trimester	27%
Coverage of complete antenatal care	27%
Coverage of antenatal tetanus immunisation	38%
Coverage of anaemia screening in pregnancy	89%

#### 8.2 Delivery care

	< 18	≥ 18	Total
Live births	0	55	55
Still births	0	0	0
Low birth weight (<2500 g)	0	14	14
Attended by skilled health worker	0	54	54
Number of obstetric complications treated	0	8	8
Number of caesarean sections performed	0	4	4

Delivery Indicators	
Crude birth rate	4.2
Proportion of births attended by skilled health worker (excl. TBA)	98%
Proportion of low birth weight deliveries	25%
Proportion of all births performed by caesarean section	7%
Proportion of obsetric complications treated among girls < 18	0%

#### 8.3 Postnatal care

	< 18	≥ 18	Total
Women who attended 3 postnatal visits within 6 wks of delivery	0	0	0

Postnatal Indicators	
Coverage of complete postnatal care	0%

#### 8.5 Sexual and gender-based violence

	< 18		≥ 18		Total
	М	F	M	F	Total
Total no rape survivors seen	0	0	0	0	0
No. of rape survivors examined within 72 hours	0	0	0	0	0
No. of rape survivors examined within 72 -120 hours	0	0	0	0	0
No. of rape survivors examined within 120 hrs - 2 weeks	0	0	0	0	0
No. of rape survivors examined after 2 weeks	0	0	0	0	0
No of rape survivors given PEP within 72 hours	0	0	0	0	0
No of female rape survivors given ECP within 120 hours		0		0	0
No of rape survivors given STI presumptive treatment within 2 weeks	0	0	0	0	0
No. cases of trauma in health centre due to domestic violence	0	0	0	0	0

ECP = Emergency Contraceptive Pill; PEP = Post-exposure Prophylaxis; STI = Sexually Transmitted Infection

SGBV Indicators	
Incidence of reported rape	0.0
Proportion of rape survivors who receive PEP < 72 hrs	
Proportion of female rape survivors who receive ECP < 120 hrs	
Proportion of rape survivors who receive STI presumptive treatment < 2 wks	

Sources

1. Health Information System

Publication date:

22 March 2013

Contact Information **Za'atri** Ana Calvo, UNHCR

Email: calvo@unhcr.org Phone: +962

Amman Ann Burton, UNHCR

Email: burton@unhcr.org Phone: +962

UNHCR gratefully acknowledges the support of the following partners:























